

North Central Frogeye Project.

Project Code: 05-BP-NCFrogeye Location: Brookport, IL  
Investigator: Bryan Young

Investigator: Bryan Young, Associate Professor, Southern Illinois University

City State Zip Country: Brookport IL 62910 USA  
Trial Status: Final Updated: 11-03-05**Objective:**

Screen various fungicides for management of Frogeye leafspot.

Crop 1: GLXMA soybean Variety: P94M70 RR  
Planting Method: Seeded Planting Date: 5-23-05  
Rate: 75 lb/A Depth: 1.0 IN  
Row Spacing: 30 INPlot Width, Unit: 10 FT Plot Length, Unit: 30 FT Reps: 4  
Tillage Type: Reduced-Till Study Design: Randomized complete block  
Previous Crop, Year: GLXMA, 2004**APPLICATION DESCRIPTION**

	A	B	C
Application Date:	07-21-05	08-12-05	
Time of Day:	11:30	13:15	
Application Method:	Spray	Spray	Not applied
Application Timing:	R2-R3	21DA-R2-R3	14D-INT
Applic. Placement:	BROFOL	BROFOL	BROFOL
Air Temp., Unit:	92 F	95 F	
% Relative Humidity:	64	60	
Wind Velocity, Unit:	3 MPH	3 MPH	
Soil Moisture:	ABONOR	ABONOR	

**CROP STAGE AT EACH APPLICATION**

	A	B	C
Crop 1 Code, Stage:	GLXMA R2	GLXMA R5	GLXMA NA
Height, Unit:	21 IN	38 IN	NA NA

**APPLICATION EQUIPMENT**

	A	B	C
Appl. Equipment:	CO2 sprayer	CO2 sprayer	CO2 sprayer
Operating Pressure:	40 PSI	40 PSI	40 PSI
Nozzle Type:	Flat fan	Flat fan	Flat fan
Nozzle Size:	8002	8002	8002
Boom Length, Unit:	7.5 FT	7.5 FT	7.5 FT
Spray Volume, Unit:	20 GPA	20 GPA	20 GPA

**NOTES:**

North Central Frogeye Project.

Project Code: 05-BP-NCFrogeye Location: Brookport, IL  
 Investigator: Bryan Young

Weed Code  
 Crop Code  
 Rating Data Type  
 Rating Unit  
 Rating Date  
 Trt-Eval Interval

GLXMA GLXMA GLXMA GLXMA GLXMA GLXMA  
 Moisture Test wt. Yield Injury Injury Injury  
 Percent lb/bu bu/A Percent Percent Percent  
 10-13-05 10-13-05 10-13-05 08-11-05 08-19-05 09-02-05

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Prod Rate	Prod Unit	Grow Stg	Appl Code	GLXMA Moisture Percent	GLXMA Test wt. lb/bu	GLXMA Yield bu/A	GLXMA Injury Percent	GLXMA Injury Percent	GLXMA Injury Percent
1	NONTREATED									13.1	52.8	49	0	0	0
2	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	R2-R3	A	12.6	52.8	58	0		0
2	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A						
3	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	R2-R3	A	12.7	52.9	60	0	0	0
3	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A						
3	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	21DA-R2-R3	B						
3	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	21DA-R2-R3	B						
4	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	R2-R3	A	12.7	52.9	57	0	0	0
4	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A						
4	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	21DA-R2-R3	B						
5	HEADLINE SBR (CO-PACK)					7.8	fl oz/a	R2-R3	A	12.5	52.3	56	0		0
5	->HEADLINE	2.09	EC	0.077	lb ai/a			R2-R3	A						
5	->FOLICUR	3.6	F	0.087	lb ai/a			R2-R3	A						
5	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A						
6	HEADLINE SBR (CO-PACK)					7.8	fl oz/a	R2-R3	A	12.9	53.1	54	0	1	1
6	->HEADLINE	2.09	EC	0.077	lb ai/a			R2-R3	A						
6	->FOLICUR	3.6	F	0.087	lb ai/a			R2-R3	A						
6	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A						
6	HEADLINE SBR (CO-PACK)					7.8	fl oz/a	21DA-R2-R3	B						
6	->HEADLINE	2.09	EC	0.077	lb ai/a			21DA-R2-R3	B						
6	->FOLICUR	3.6	F	0.087	lb ai/a			21DA-R2-R3	B						
6	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	21DA-R2-R3	B						
7	QUADRIS	2.08	F	0.0975	lb ai/a	6	fl oz/a	R2-R3	A	12.7	52.7	54	0		0
7	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A						
8	QUADRIS	2.08	F	0.0975	lb ai/a	6	fl oz/a	R2-R3	A	12.8	52.9	50	0	0	0
8	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A						
8	QUADRIS	2.08	F	0.0975	lb ai/a	6	fl oz/a	21DA-R2-R3	B						
8	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	21DA-R2-R3	B						
9	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	R2-R3	A	13.0	52.5	48	0		0
9	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A						
10	SEE COMMENT #4									13.2	52.8	47	0	0	0
10	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	21DA-R2-R3	B						
10	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	21DA-R2-R3	B						
11	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	R2-R3	A	12.6	52.2	49	0	1	0
11	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A						
11	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	21DA-R2-R3	B						
11	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	21DA-R2-R3	B						
12	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	R2-R3	A	12.9	52.9	49	0		0
13	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	21DA-R2-R3	B						
13	SEE COMMENT #6														
14	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	R2-R3	A	12.7	52.6	52	0	1	0
14	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	21DA-R2-R3	B						
15	STRATEGO	2.08	EC	0.114	lb ai/a	7	fl oz/a	R2-R3	A	12.9	52.5	53	0		0
15	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A						
16	STRATEGO	2.08	EC	0.114	lb ai/a	7	fl oz/a	21DA-R2-R3	B	12.7	52.4	54	0	0	0
16	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	21DA-R2-R3	B						
17	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	R2-R3	A	13.1	52.9	48	0		0
18	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	21DA-R2-R3	B	12.8	52.7	47	0	0	0
19	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	R2-R3	A	12.8	52.9	49	0	1	0
19	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	21DA-R2-R3	B						
20	ECHO 720	6	L	0.94	lb ai/a	20	fl oz/a	R2-R3	A	13.0	53.0	53	0	0	0
20	ECHO 720	6	L	0.94	lb ai/a	20	fl oz/a	14D-INT	C						
20	SEE COMMENT #5														

LSD (P=.05)

Replicate F  
 Replicate Prob(F)  
 Treatment F  
 Treatment Prob(F)

0.47 0.59 6.1 0.0 0.5 0.2  
 0.959 1.053 10.282 0.000 0.164 1.623  
 0.4189 0.3770 0.0001 1.0000 0.9197 0.1948  
 1.303 1.411 3.249 0.000 3.030 2.115  
 0.2251 0.1662 0.0005 1.0000 0.0067 0.0178

North Central Frogeye Project.

Project Code: 05-BP-NCFrogeye Location: Brookport, IL  
 Investigator: Bryan Young

Weed Code  
 Crop Code  
 Rating Data Type  
 Rating Unit  
 Rating Date  
 Trt-Eval Interval

GLXMA GLXMA GLXMA GLXMA  
 FROEYE FROEYE FROEYE FROEYE  
 % Incid Sever0-9 % Incid Sever0-9  
 08-11-05 08-11-05 09-09-05 09-09-05  
 21 DA-A 21 DA-A 28 DA-B 28 DA-B

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Prod Rate	Prod Unit	Grow Stg	Appl Code				
1	NONTREATED									5	0.5	100	6.3
2	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	R2-R3	A	1	0.3	100	1.0
2	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A				
3	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	R2-R3	A	0	0.0	100	1.0
3	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A				
3	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	21DA-R2-R3	B				
3	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	21DA-R2-R3	B				
4	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	R2-R3	A	0	0.0	100	1.8
4	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A				
4	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	21DA-R2-R3	B				
5	HEADLINE SBR (CO-PACK)					7.8	fl oz/a	R2-R3	A	0	0.0	100	2.8
5	->HEADLINE	2.09	EC	0.077	lb ai/a			R2-R3	A				
5	->FOLICUR	3.6	F	0.087	lb ai/a			R2-R3	A				
5	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A				
6	HEADLINE SBR (CO-PACK)					7.8	fl oz/a	R2-R3	A	0	0.0	100	0.5
6	->HEADLINE	2.09	EC	0.077	lb ai/a			R2-R3	A				
6	->FOLICUR	3.6	F	0.087	lb ai/a			R2-R3	A				
6	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A				
6	HEADLINE SBR (CO-PACK)					7.8	fl oz/a	21DA-R2-R3	B				
6	->HEADLINE	2.09	EC	0.077	lb ai/a			21DA-R2-R3	B				
6	->FOLICUR	3.6	F	0.087	lb ai/a			21DA-R2-R3	B				
6	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	21DA-R2-R3	B				
7	QUADRIS	2.08	F	0.0975	lb ai/a	6	fl oz/a	R2-R3	A	0	0.0	100	1.3
7	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A				
8	QUADRIS	2.08	F	0.0975	lb ai/a	6	fl oz/a	R2-R3	A	0	0.0	100	0.5
8	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A				
8	QUADRIS	2.08	F	0.0975	lb ai/a	6	fl oz/a	21DA-R2-R3	B				
8	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	21DA-R2-R3	B				
9	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	R2-R3	A	0	0.0	100	2.3
9	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A				
10	SEE COMMENT #4									1	0.3	100	1.3
10	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	21DA-R2-R3	B				
10	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	21DA-R2-R3	B				
11	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	R2-R3	A	0	0.0	100	2.3
11	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A				
11	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	21DA-R2-R3	B				
11	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	21DA-R2-R3	B				
12	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	R2-R3	A	0	0.0	100	3.3
13	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	21DA-R2-R3	B				
13	SEE COMMENT #6												
14	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	R2-R3	A	5	0.8	100	3.8
14	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	21DA-R2-R3	B				
15	STRATEGO	2.08	EC	0.114	lb ai/a	7	fl oz/a	R2-R3	A	0	0.0	100	4.5
15	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A				
16	STRATEGO	2.08	EC	0.114	lb ai/a	7	fl oz/a	21DA-R2-R3	B	0	0.0	100	4.5
16	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	21DA-R2-R3	B				
17	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	R2-R3	A	0	0.0	100	3.5
18	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	21DA-R2-R3	B	3	0.3	100	2.8
19	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	R2-R3	A	0	0.0	100	3.3
19	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	21DA-R2-R3	B				
20	ECHO 720	6	L	0.94	lb ai/a	20	fl oz/a	R2-R3	A	3	0.5	100	2.0
20	ECHO 720	6	L	0.94	lb ai/a	20	fl oz/a	14D-INT	C				
20	SEE COMMENT #5												

LSD (P=.05)

Replicate F  
 Replicate Prob(F)  
 Treatment F  
 Treatment Prob(F)

3.5 0.42 0.0 1.50  
 0.655 0.587 0.000 1.422  
 0.5836 0.6262 1.0000 0.2465  
 1.824 2.283 0.000 8.415  
 0.0460 0.0102 1.0000 0.0001

North Central Frogeye Project.

Project Code: 05-BP-NCFrogeye Location: Brookport, IL  
 Investigator: Bryan Young

Weed Code  
 Crop Code  
 Rating Data Type  
 Rating Unit  
 Rating Date  
 Trt-Eval Interval

GLXMA	GLXMA	GLXMA	GLXMA	GLXMA
BROSPO	BROSPO	BROSPO	BROSPO	STEPOD
% Incid	Sever0-5	% Incid	Sever0-5	Sever0-9
08-11-05	08-11-05	09-09-05	09-09-05	10-10-05
21 DA-A	21 DA-A	28 DA-B	28 DA-B	EOS

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Prod Rate	Prod Unit	Grow Stg	Appl Code	GLXMA BROSPO % Incid	GLXMA BROSPO Sever0-5	GLXMA BROSPO % Incid	GLXMA BROSPO Sever0-5	GLXMA STEPOD Sever0-9
1	NONTREATED									100	3.00	100	3.75	6.8
2	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	R2-R3	A	100	2.25	100	1.75	5.0
2	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A					
3	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	R2-R3	A	100	2.25	100	1.75	3.3
3	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A					
3	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	21DA-R2-R3	B					
3	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	21DA-R2-R3	B					
4	HEADLINE	2.09	EC	0.098	lb ai/a	6	fl oz/a	R2-R3	A	100	2.75	100	2.75	3.8
4	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A					
4	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	21DA-R2-R3	B					
5	HEADLINE SBR (CO-PACK)					7.8	fl oz/a	R2-R3	A	100	2.25	100	2.50	3.5
5	->HEADLINE	2.09	EC	0.077	lb ai/a			R2-R3	A					
5	->FOLICUR	3.6	F	0.087	lb ai/a			R2-R3	A					
5	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A					
6	HEADLINE SBR (CO-PACK)					7.8	fl oz/a	R2-R3	A	100	2.25	100	1.75	3.3
6	->HEADLINE	2.09	EC	0.077	lb ai/a			R2-R3	A					
6	->FOLICUR	3.6	F	0.087	lb ai/a			R2-R3	A					
6	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A					
6	HEADLINE SBR (CO-PACK)					7.8	fl oz/a	21DA-R2-R3	B					
6	->HEADLINE	2.09	EC	0.077	lb ai/a			21DA-R2-R3	B					
6	->FOLICUR	3.6	F	0.087	lb ai/a			21DA-R2-R3	B					
6	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	21DA-R2-R3	B					
7	QUADRIS	2.08	F	0.0975	lb ai/a	6	fl oz/a	R2-R3	A	100	2.25	100	1.75	4.0
7	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A					
8	QUADRIS	2.08	F	0.0975	lb ai/a	6	fl oz/a	R2-R3	A	100	2.25	100	1.75	4.0
8	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A					
8	QUADRIS	2.08	F	0.0975	lb ai/a	6	fl oz/a	21DA-R2-R3	B					
8	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	21DA-R2-R3	B					
9	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	R2-R3	A	100	2.25	100	2.50	6.8
9	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A					
10	SEE COMMENT #4									100	2.00	100	2.25	4.3
10	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	21DA-R2-R3	B					
10	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	21DA-R2-R3	B					
11	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	R2-R3	A	100	2.75	100	2.25	4.0
11	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	R2-R3	A					
11	QUILT	1.67	F	0.183	lb ai/a	14	fl oz/a	21DA-R2-R3	B					
11	PRIME OIL COC	100	LIQ	1.0	% v/v	1	% v/v	21DA-R2-R3	B					
12	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	R2-R3	A	100	3.00	100	3.50	6.8
13	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	21DA-R2-R3	B					
13	SEE COMMENT #6													
14	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	R2-R3	A	100	3.50	100	3.00	5.8
14	FOLICUR	3.6	F	0.112	lb ai/a	4	fl oz/a	21DA-R2-R3	B					
15	STRATEGO	2.08	EC	0.114	lb ai/a	7	fl oz/a	R2-R3	A	100	2.25	100	3.00	5.8
15	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	R2-R3	A					
16	STRATEGO	2.08	EC	0.114	lb ai/a	7	fl oz/a	21DA-R2-R3	B	100	3.50	100	3.75	4.0
16	ACTIVATOR 90	100	LIQ	0.125	% v/v	0.125	% v/v	21DA-R2-R3	B					
17	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	R2-R3	A	100	2.00	100	3.00	6.0
18	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	21DA-R2-R3	B	100	2.50	100	3.00	6.0
19	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	R2-R3	A	100	3.25	100	2.75	5.5
19	IMPACT	1	SC	0.0312	lb ai/a	4	fl oz/a	21DA-R2-R3	B					
20	ECHO 720	6	L	0.94	lb ai/a	20	fl oz/a	R2-R3	A	100	2.25	100	3.50	5.0
20	ECHO 720	6	L	0.94	lb ai/a	20	fl oz/a	14D-INT	C					
20	SEE COMMENT #5													
LSD (P=.05)										0.0	1.172	0.0	0.963	1.41

North Central Frogeye Project.

Project Code: 05-BP-NCFrogeye Location: Brookport, IL  
Investigator: Bryan Young

Weed Code									
Crop Code									
Rating Data Type									
Rating Unit									
Rating Date									
Trt-Eval Interval									

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Prod Rate	Prod Unit	Grow Stg	Appl Code	GLXMA BROSPO	GLXMA Sever0-5	GLXMA % Incid	GLXMA Sever0-5	GLXMA STEPOD	GLXMA Sever0-9
	Replicate F									0.000	0.434	0.000	2.297	1.593	
	Replicate Prob(F)									1.0000	0.7295	1.0000	0.0879	0.2018	
	Treatment F									0.000	1.357	0.000	4.210	5.981	
	Treatment Prob(F)									1.0000	0.1918	1.0000	0.0001	0.0001	

## Trial Comments

1. Protocol: SIU-Bond.
2. Ratings: CI 7, 14, and 21 DAT; Disease incidence and severity at 21 DAT.
3. Yield.
4. Use 20 fl oz/A of Quilt for treatment #10 if disease incidence is greater than 10%.  
Record the rate that was used. For treatment #10 the 14 fl oz/A rate of Quilt was used.
5. Application "C" (14D-INT) was not applied, not needed.
6. Treatment #13 was not applied.
7. DA-A = Days after R2-R3 application. DA-B = Days after 21DA-R2-R3 application. EOS = End of season.  
FROEYE = Frog eye leafspot. BROSPO = Septoria brown spot.  
% Incid = Percent incidence. Sever0-5 and Sever0-9 = Severity, rating scales of 0-5 and 0-9, respectively.  
STEPOD = Stem and pod diseases, consisting of approximately 95% anthracnose and 5% pod and stem blight.
8. Overall there was low occurrence of SDS symptoms, as rated on 8-11-05.
9. Harvested 10-13-05, (2) 30 inch rows by 24 ft.