Southern Illinois University

Influence of Preplant Growth Regulator Herbicide on Soybean Development.

Project Code: 07-10C-E180 Location: Belleville Research Center
Investigator: Bryan Young

Investigator: Bryan Young, Associate Professor, Southern Illinois University

City State Zip Country: Belleville IL 62221 USA
Trial Status: Final **Updated:** 1-23-08

Objective:
Evaluate the effect of various rates of 2,4-D and dicamba applied preplant to soybean.

Crop 1: GLXMA soybean **Variety:** See treatment list
Planting Method: Seeded **Planting Date:** 5-22-07
Rate: 75 lb/A **Depth:** 1.0 IN
Row Spacing: 30 IN

Plot Width, Unit: 10 FT **Plot Length, Unit:** 30 FT **Reps:** 4
Tillage Type: No-Till **Study Design:** SPLIT-BLOCK
Previous Crop, Year: ZEAMX, 2006
Field Prep./Maintenance: N 0 LB/A, P2O5 0 LB/A, K2O 100 LB/A

Soil Name: Weir **% OM:** 2.3 **pH:** 6.9 **CEC:** 12
Texture: Silt loam **Fert. Level:** P1: 94 LB/A, K: 304 LB/A

APPLICATION DESCRIPTION

	A
Application Date:	5-21-07
Time of Day:	11:00
Application Method:	Spray
Application Timing:	1DBP
Applic. Placement:	BROFOL
Air Temp., Unit:	78 F
% Relative Humidity:	40
Wind Velocity, Unit:	3-5 MPH
Soil Moisture:	NORMAL
% Cloud Cover:	0

CROP STAGE AT EACH APPLICATION

	A
Crop 1 Code, Stage:	GLXMA NA
Height, Unit:	NA NA

APPLICATION EQUIPMENT

	A
Appl. Equipment:	CO2 sprayer
Operating Pressure:	40 PSI
Nozzle Type:	Flat fan
Nozzle Size:	XR 8003
Boom Length, Unit:	5 FT
Spray Volume, Unit:	20 GPA

NOTES:

Southern Illinois University

Influence of Preplant Growth Regulator Herbicide on Soybean Development.

Project Code: 07-10C-E180 Location: Belleville Research Center
Investigator: Bryan Young

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Prod Rate	Prod Unit	Grow Stg	Appl Code	GLXMA Moisture Percent 10-20-07	GLXMA Yield bu/A 10-20-07	GLXMA 90% Emrg DAP	GLXMA Plants 000/A 6-18-07 28 DAP	GLXMA Plants 000/A 10-12-07 EOS
1	AG4403RR									12.5 c-f	53 abc	9 fg	108.8 bcd	103.1 cd
1	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A					
2	AG4403RR									12.2 ef	45 b-e	9 efg	140.6 b	114.1 abc
2	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A					
3	AG4403RR									12.6 bcd	41 def	11 bcd	58.4 efg	55.2 ef
3	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A					
4	AG4403RR									12.6 b-e	25 gh	12 abc	31.0 ghi	25.3 fgh
4	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A					
5	AG4403RR									12.6 b-e	41 def	10 def	72.5 def	69.7 e
5	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A					
6	AG4403RR									12.1 f	33 fg	11 bcd	84.2 cde	67.5 e
6	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A					
7	AG4403RR									12.3 def	15 hij	11 bcd	16.6 hi	17.6 gh
7	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A					
8	AG4403RR									12.4 c-f	7 ij	12 ab	14.6 hi	11.1 gh
8	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A					
9	AG4403RR									12.2 ef	45 b-e	9 g	182.4 a	137.2 ab
9	NONTREATED													
10	DK4651									12.7 bc	54 ab	9 efg	119.4 bc	108.5 bc
10	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A					
11	DK4651									12.6 b-e	51 a-d	10 def	92.0 cde	77.0 de
11	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A					
12	DK4651									12.7 bcd	43 b-f	10 cde	72.5 def	66.2 e
12	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A					
13	DK4651									12.8 bc	34 efg	13 a	40.7 fgh	33.7 fg
13	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A					
14	DK4651									12.4 c-f	43 b-f	11 bcd	60.1 efg	71.7 e
14	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A					
15	DK4651									12.4 c-f	41 c-f	13 a	41.1 fgh	32.2 fg
15	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A					
16	DK4651									13.3 a	16 hi	11 bcd	20.6 hi	14.6 gh
16	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A					
17	DK4651									13.3 a	4 j		0.0 i	0.4 h
17	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A					
18	DK4651									13.0 ab	59 a	8 g	182.4 a	144.8 a
18	NONTREATED													
LSD (P=.05)										0.42	11.5	1.5	37.41	30.89
Replicate F										0.100	2.144	3.182	7.863	8.057
Replicate Prob(F)										0.9594	0.1102	0.0392	0.0003	0.0003
Treatment F										5.410	16.547	7.396	17.607	16.677
Treatment Prob(F)										0.0001	0.0001	0.0001	0.0001	0.0001

Means followed by same letter do not significantly differ (P=.05, LSD)

Southern Illinois University

Influence of Preplant Growth Regulator Herbicide on Soybean Development.

Project Code: 07-10C-E180 Location: Belleville Research Center
Investigator: Bryan Young

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Prod Rate	Prod Unit	Grow Stg	Appl Code													
Weed Code																						
Crop Code										GLXMA		GLXMA		GLXMA		GLXMA		GLXMA		GLXMA		
Rating Data Type										V Stage		V Stage		V Stage		V Stage		R Stage		R Stage		
Rating Unit																						
Rating Date										6-4-07		6-11-07		6-18-07		7-2-07		7-16-07		8-13-07		
Trt-Eval Interval										14 DAP		21 DAP		28 DAP		42 DAP		56 DAP		84 DAP		
1	AG4403RR									0.0	a	0.7	ab	3.0	a	5.0	a	2.3	ab	4.7	ab	
1	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A													
2	AG4403RR									0.0	a	0.5	abc	3.0	a	5.0	a	2.5	a	4.5	ab	
2	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A													
3	AG4403RR									0.0	a	0.5	abc	2.7	ab	4.3	bc	2.0	abc	4.3	abc	
3	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A													
4	AG4403RR									-0.5	abc	0.0	c	2.0	c	4.0	cd	1.7	bcd	3.7	cd	
4	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A													
5	AG4403RR									-0.3	ab	1.0	a	2.3	bc	4.3	bc	2.0	abc	4.0	bc	
5	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A													
6	AG4403RR									-1.0	c	0.5	abc	2.3	bc	4.3	bc	1.5	cd	3.8	c	
6	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A													
7	AG4403RR									-1.0	c	1.0	a	2.0	c	3.5	de	1.0	d	4.0	bc	
7	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A													
8	AG4403RR									0.0	a	1.0	a	2.0	c	3.0	e	1.0	d	3.0	d	
8	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A													
9	AG4403RR									0.0	a	0.8	ab	3.0	a	5.0	a	2.5	a	5.0	a	
9	NONTREATED																					
10	DK4651									-0.3	ab	0.8	ab	3.0	a	5.0	a	2.3	abc	4.5	ab	
10	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A													
11	DK4651									-0.3	ab	1.0	a	3.0	a	4.7	ab	2.0	abc	4.3	abc	
11	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A													
12	DK4651									-0.3	ab	1.0	a	2.7	ab	4.3	bc	2.3	ab	4.3	abc	
12	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A													
13	DK4651									-1.0	c	0.3	bc	2.3	bc	4.0	cd	2.0	abc	4.0	bc	
13	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A													
14	DK4651									-0.7	bc	1.0	a	2.3	bc	4.3	bc	2.0	abc	4.0	bc	
14	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A													
15	DK4651									-1.0	c	0.5	abc	2.0	c	4.0	cd	1.5	cd	4.0	bc	
15	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A													
16	DK4651									-1.0	c	1.0	a	2.0	c	4.0	cd	1.5	cd	4.0	bc	
16	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A													
17	DK4651																					
17	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A													
18	DK4651									0.0	a	1.0	a	3.0	a	5.0	a	2.5	a	4.8	a	
18	NONTREATED																					
LSD (P=.05)										0.50		0.67		0.53		0.66		0.78		0.73		
Replicate F										1.443		0.539		0.790		1.253		1.251		1.589		
Replicate Prob(F)										0.2513		0.6602		0.5097		0.3093		0.3102		0.2142		
Treatment F										5.891		1.788		5.487		6.340		3.242		3.481		
Treatment Prob(F)										0.0001		0.0961		0.0001		0.0001		0.0031		0.0019		

Means followed by same letter do not significantly differ (P=.05, LSD)

1-25-08 (07-10C-E180)

Southern Illinois University

Influence of Preplant Growth Regulator Herbicide on Soybean Development.

Project Code: 07-10C-E180 Location: Belleville Research Center
Investigator: Bryan Young

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Prod Rate	Prod Unit	Grow Stg	Appl Code	GLXMA Injury Percent 6-4-07 14 DAP	GLXMA Injury Percent 6-11-07 21 DAP	GLXMA Injury Percent 6-18-07 28 DAP	GLXMA Injury Percent 7-2-07 42 DAP	GLXMA Injury Percent 7-16-07 56 DAP	GLXMA Injury Percent 8-13-07 84 DAP
1	AG4403RR									12 ef	17 fg	3 g	3 f	0 h	0 h
1	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A						
2	AG4403RR									28 e	20 ef	13 g	15 ef	8 gh	3 gh
2	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A						
3	AG4403RR									68 c	80 a-d	72 d	63 cd	43 e	28 ef
3	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A						
4	AG4403RR									88 ab	88 abc	87 abc	87 ab	81 abc	69 bc
4	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A						
5	AG4403RR									77 bc	83 a-d	78 cd	73 bc	51 de	40 de
5	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A						
6	AG4403RR									91 ab	76 bcd	81 bcd	78 bc	65 cd	53 cd
6	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A						
7	AG4403RR									97 a	94 abc	95 a	95 a	92 ab	88 ab
7	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A						
8	AG4403RR									98 a	97 a	98 a	98 a	95 a	92 a
8	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A						
9	AG4403RR									0 f	0 g	0 g	0 f	0 h	0 h
9	NONTREATED														
10	DK4651									20 e	24 ef	8 g	9 f	4 gh	3 gh
10	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A						
11	DK4651									48 d	37 e	37 f	30 e	21 fg	17 fgh
11	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A						
12	DK4651									67 c	75 cd	55 e	48 d	33 ef	23 efg
12	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A						
13	DK4651									87 ab	87 a-d	82 bcd	75 bc	64 cd	53 cd
13	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A						
14	DK4651									73 bc	68 d	80 cd	75 bc	48 de	35 def
14	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A						
15	DK4651									90 ab	88 a-d	93 ab	89 ab	75 bc	63 c
15	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A						
16	DK4651									97 a	95 ab	96 a	96 a	91 ab	85 ab
16	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A						
17	DK4651									99 a	99 a	99 a	99 a	99 a	98 a
17	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A						
18	DK4651									0 f	0 g	0 g	0 f	0 h	0 h
18	NONTREATED														
LSD (P=.05)										17.3	19.8	12.9	16.1	20.0	20.8
Replicate F										2.772	2.389	3.688	3.266	3.456	2.958
Replicate Prob(F)										0.0543	0.0849	0.0198	0.0314	0.0255	0.0441
Treatment F										34.761	26.131	72.891	44.660	26.986	22.933
Treatment Prob(F)										0.0001	0.0001	0.0001	0.0001	0.0001	0.0001

Means followed by same letter do not significantly differ (P=.05, LSD)

Southern Illinois University

Influence of Preplant Growth Regulator Herbicide on Soybean Development.

Project Code: 07-10C-E180 Location: Belleville Research Center
Investigator: Bryan Young

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Prod Rate	Prod Unit	Grow Stg	Appl Code	GLXMA Stunt Percent 6-4-07 14 DAP	GLXMA Stunt Percent 6-11-07 21 DAP	GLXMA Stunt Percent 6-18-07 28 DAP	GLXMA Stunt Percent 7-2-07 42 DAP	GLXMA Stunt Percent 7-16-07 56 DAP	GLXMA Stunt Percent 8-13-07 84 DAP	GLXMA Chloro Percent 6-4-07 14 DAP	GLXMA Chloro Percent 6-11-07 21 DAP	GLXMA Chloro Percent 6-18-07 28 DAP	GLXMA Chloro Percent 7-2-07 42 DAP	GLXMA Chloro Percent 7-16-07 56 DAP
1	AG4403RR									5 i	6 e	0 g	3 h	0 e	0 h	3 e	0 b	0 b	0 a	0 a
1	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A											
2	AG4403RR									20 h	5 e	5 fg	10 gh	8 e	3 gh	5 e	0 b	0 b	0 a	0 a
2	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A											
3	AG4403RR									40 ef	55 cd	57 cd	50 de	40 bcd	25 ef	12 de	0 b	0 b	0 a	0 a
3	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A											
4	AG4403RR									50 de	65 bcd	75 abc	75 ab	69 a	55 abc	13 de	0 b	0 b	0 a	0 a
4	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A											
5	AG4403RR									50 de	63 bcd	58 cd	53 cde	44 bc	35 cde	40 c	0 b	0 b	0 a	0 a
5	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A											
6	AG4403RR									51 de	54 cd	63 c	63 bcd	59 ab	48 bcd	48 bc	0 b	0 b	0 a	0 a
6	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A											
7	AG4403RR									70 ab	80 ab	70 abc	70 abc	70 a	60 ab	50 b	50 a	0 b	0 a	0 a
7	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A											
8	AG4403RR									80 a	89 a	85 a	85 a	75 a	70 a	60 a	66 a	0 b	0 a	0 a
8	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A											
9	AG4403RR									0 i	0 e	0 g	0 h	0 e	0 h	4 e	0 b	0 b	0 a	0 a
9	NONTREATED																			
10	DK4651									11 hi	8 e	1 g	7 gh	3 e	3 gh	5 e	0 b	0 b	0 a	0 a
10	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A											
11	DK4651									23 gh	18 e	22 ef	23 fg	18 de	13 fgh	8 de	0 b	0 b	0 a	0 a
11	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A											
12	DK4651									35 fg	55 cd	40 de	37 ef	32 cd	22 efg	17 d	0 b	0 b	0 a	0 a
12	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A											
13	DK4651									50 de	58 bcd	65 bc	63 bcd	62 ab	52 a-d	10 de	0 b	7 a	0 a	0 a
13	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A											
14	DK4651									53 cde	45 d	60 c	57 bcd	43 bc	33 def	47 bc	0 b	0 b	0 a	0 a
14	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A											
15	DK4651									55 cd	63 bcd	75 abc	70 abc	70 a	58 ab	45 bc	0 b	0 b	0 a	0 a
15	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A											
16	DK4651									65 bc	73 abc	83 ab	85 a	80 a	68 ab	50 b	0 b	0 b	0 a	0 a
16	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A											
17	DK4651																			
17	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A											
18	DK4651									0 i	0 e	0 g	0 h	0 e	0 h	4 e	0 b	0 b	0 a	0 a
18	NONTREATED																			
LSD (P=.05)										13.4	22.7	19.0	18.6	22.7	21.2	9.3	28.2	4.4	0.0	0.0
Replicate F										2.582	1.621	1.942	1.964	1.886	1.276	1.747	1.104	0.563	0.000	0.000
Replicate Prob(F)										0.0741	0.2077	0.1467	0.1432	0.1557	0.3026	0.1812	0.3647	0.6444	1.0000	1.0000
Treatment F										28.897	14.935	24.421	23.199	14.446	12.395	44.085	3.991	1.125	0.000	0.000
Treatment Prob(F)										0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0008	0.3819	1.0000	1.0000

Means followed by same letter do not significantly differ (P=.05, LSD)

Southern Illinois University

Influence of Preplant Growth Regulator Herbicide on Soybean Development.

Project Code: 07-10C-E180 Location: Belleville Research Center
Investigator: Bryan Young

Trt No.	Treatment Name	Form Conc	Form Type	Rate	Rate Unit	Prod Rate	Prod Unit	Grow Stg	Appl Code	GLXMA Malform Percent 6-4-07 14 DAP	GLXMA Malform Percent 6-11-07 21 DAP	GLXMA Malform Percent 6-18-07 28 DAP	GLXMA Malform Percent 7-2-07 42 DAP	GLXMA Malform Percent 7-16-07 56 DAP	GLXMA Malform Percent 8-13-07 84 DAP
1	AG4403RR									7 d	12 gh	3 f	1 f	0 g	0 f
1	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A						
2	AG4403RR									10 d	18 fgh	10 ef	5 ef	0 g	0 f
2	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A						
3	AG4403RR									42 bc	45 cd	30 a-d	22 cd	7 efg	3 def
3	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A						
4	AG4403RR									45 bc	58 bc	23 d	18 d	10 ef	3 def
4	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A						
5	AG4403RR									50 ab	40 cde	35 abc	33 ab	18 bcd	7 cd
5	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A						
6	AG4403RR									50 ab	45 cd	35 abc	34 ab	20 bc	9 c
6	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A						
7	AG4403RR									60 a	70 ab	30 a-d	40 a	25 b	15 b
7	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A						
8	AG4403RR									60 a	83 a	35 abc	40 a	40 a	30 a
8	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A						
9	AG4403RR									14 d	0 h	0 f	0 f	0 g	0 f
9	NONTREATED														
10	DK4651									16 d	18 fgh	6 f	5 f	1 g	0 f
10	2,4-D LV4	3.8	EC	0.25	lb ae/a	0.53	pt/a	1DBP	A						
11	DK4651									32 c	23 efg	20 de	13 de	7 efg	3 def
11	2,4-D LV4	3.8	EC	0.5	lb ae/a	1.05	pt/a	1DBP	A						
12	DK4651									37 bc	35 def	25 cd	18 d	3 fg	2 ef
12	2,4-D LV4	3.8	EC	1.0	lb ae/a	2.1	pt/a	1DBP	A						
13	DK4651									47 ab	47 cd	27 bcd	20 d	5 fg	2 ef
13	2,4-D LV4	3.8	EC	2.0	lb ae/a	4.2	pt/a	1DBP	A						
14	DK4651									60 a	40 cde	37 ab	30 bc	13 cde	5 cde
14	CLARITY	4	EC	0.125	lb ae/a	0.25	pt/a	1DBP	A						
15	DK4651									50 ab	55 bcd	40 a	33 ab	13 de	5 cde
15	CLARITY	4	EC	0.25	lb ae/a	0.5	pt/a	1DBP	A						
16	DK4651									60 a	60 bc	30 a-d	38 ab	23 b	15 b
16	CLARITY	4	EC	0.5	lb ae/a	1	pt/a	1DBP	A						
17	DK4651														
17	CLARITY	4	EC	1.0	lb ae/a	2	pt/a	1DBP	A						
18	DK4651									11 d	0 h	0 f	0 f	0 g	0 f
18	NONTREATED														
LSD (P=.05)										13.7	21.3	10.1	8.4	7.1	4.5
Replicate F										1.037	2.269	0.231	0.358	0.468	0.200
Replicate Prob(F)										0.3919	0.1032	0.8736	0.7840	0.7072	0.8953
Treatment F										17.118	10.396	15.467	25.663	21.224	25.846
Treatment Prob(F)										0.0001	0.0001	0.0001	0.0001	0.0001	0.0001

Means followed by same letter do not significantly differ (P=.05, LSD)

Trial Comments

1. Protocol: ISA (same as 06-6B).
2. Ratings: Date to 90% emergence; plant growth stage at 14, 21, and 28 DAP; soybean stunt, chlorosis, malformation and overall injury at 14, 21, and 28 DAP; soybean population at 28 DAP (stake counted area); injury evaluations to continue if injury persists beyond 28 DAP; grain yield and final soybean population at maturity (in the staked area).
3. Yield.

Southern Illinois University

Influence of Preplant Growth Regulator Herbicide on Soybean Development.

Project Code: 07-10C-E180 Location: Belleville Research Center
Investigator: Bryan Young

4. Blanket application of Roundup W-Max (22 floz/A) + Dual II Magnum (1.33 pt/A) + Firstrate (0.6 oz/A) at 14 days before planned planting date.
5. Maintain the study weedfree with a POST application of Roundup W-Max or handweeding.
6. 90% Emrg = 90% emergence. DAP = Days after planting. V Stage = Soybean vegetative stage, -1 = VE, 0 = VC, 1-5 = V1-V5. R Stage = Soybean reproductive stage, 1-3 = R1-R3.
   Stunt = Soybean stunting. Chloro = Chlorosis. Malform = Malformation. Injury = Overall injury.
   000/A = Thousands per acre. EOS = End of Season.
7. Some plots were flooded and so removed from the data.
8. Harvested 10-20-07, (2) 30 inch rows by 27 ft.