

Illinois Climate Network (ICN)
 October 2014
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4"	4"	4"	8"	8"	8"	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL
1	20.0	5.6	122.1	18.09	87.0	55.2	71.8	97.3	42.8	61.2	0.03	0.16	70.1	66.1	68.2	68.2	65.7	67.0	72.6	64.5	68.6
2	26.3	4.8	142.6	10.25	83.3	63.6	69.7	96.4	63.0	65.9	0.71	0.08	70.9	68.6	69.6	69.4	67.6	68.4	73.5	68.6	70.4
3	30.9	11.4	276.9	9.67	64.8	43.4	69.4	96.2	50.7	65.7	0.26	0.08	69.4	64.6	67.5	68.7	64.9	67.1	69.0	59.9	65.3
4	25.5	6.5	232.2	19.99	55.8	35.9	69.2	96.8	35.2	65.6	0.00	0.11	64.7	61.2	63.0	64.9	61.8	63.2	61.6	56.1	58.9
5	22.9	5.0	194.4	17.34	75.3	35.8	68.9	97.1	31.4	65.4	0.00	0.13	63.5	59.8	61.5	62.8	60.4	61.5	63.6	54.9	58.7
6	24.8	5.1	213.0	15.57	72.2	48.6	60.1	94.7	31.3	48.6	0.03	0.12	64.0	61.4	62.5	63.0	61.4	62.1	64.0	58.6	60.9
7	23.5	6.1	225.9	14.12	78.0	46.7	63.1	95.2	31.7	52.2	0.28	0.12	65.0	62.0	63.3	63.8	61.9	62.7	66.6	60.0	62.5
8	14.3	2.1	219.7	17.81	77.5	45.1	60.0	95.7	26.6	47.4	0.00	0.13	64.5	60.8	62.8	63.1	61.1	62.2	66.0	57.5	61.7
9	13.0	4.1	76.9	4.96	64.5	54.6	58.7	97.1	74.5	54.6	0.72	0.04	63.5	62.2	63.0	62.9	61.9	62.4	63.6	60.7	62.1
10	16.9	6.5	64.9	1.58	56.8	48.0	52.9	95.7	80.0	50.4	0.72	0.02	63.0	61.0	62.0	62.7	61.1	61.9	61.5	58.4	60.1
11	15.1	4.8	31.3	9.81	60.2	45.3	52.1	91.7	56.7	44.9	0.00	0.07	61.6	60.2	60.8	61.3	60.4	60.8	61.2	57.1	58.9
12	11.5	3.6	118.5	3.00	62.5	50.6	56.6	97.1	79.1	54.2	0.06	0.02	61.6	60.3	60.8	61.4	60.4	60.8	60.6	58.0	59.3
13	24.8	9.1	148.3	1.27	68.8	61.1	64.7	97.2	86.9	62.7	1.16	0.02	63.5	61.6	62.6	63.0	61.3	62.2	63.3	60.6	62.1
14	22.9	8.6	234.3	5.46	62.2	53.0	56.4	95.3	80.8	53.5	0.02	0.04	63.0	62.0	62.5	62.9	62.3	62.7	62.1	59.9	61.3
15	19.4	7.9	299.2	3.52	57.0	51.1	53.6	95.5	74.6	50.5	0.01	0.03	62.0	60.8	61.2	62.3	61.1	61.5	59.9	58.5	59.1
16	13.7	4.1	208.9	17.68	72.1	47.0	58.3	97.1	46.2	50.5	0.00	0.12	62.8	59.9	61.3	61.9	60.6	61.2	64.7	57.1	60.4
17	25.7	7.0	280.0	16.99	69.5	47.1	57.7	92.5	45.6	47.7	0.00	0.12	61.8	60.0	61.0	61.4	60.2	60.7	63.1	57.3	59.9
18	22.5	7.7	279.5	13.95	62.5	40.9	51.6	95.1	48.5	43.6	0.00	0.09	60.4	58.6	59.6	60.3	58.9	59.5	60.4	55.7	57.9
19	13.9	3.4	195.5	15.04	64.4	34.9	50.8	98.2	48.3	43.7	0.00	0.08	59.5	56.8	58.2	59.0	57.3	58.3	60.3	52.8	56.5
20	25.5	6.4	258.2	16.57	73.7	44.4	59.1	93.4	31.8	47.2	0.00	0.13	60.7	58.2	59.3	59.7	58.4	58.9	62.8	56.3	58.8
21	15.7	4.1	114.1	16.78	66.6	43.3	54.1	96.2	42.1	44.0	0.00	0.11	59.7	57.1	58.5	59.1	57.5	58.2	61.4	54.1	57.4
22	10.5	2.3	126.4	17.06	64.3	34.5	48.1	98.0	41.3	40.8	0.00	0.09	58.8	55.9	57.4	58.2	56.4	57.3	60.4	52.3	56.0
23	13.9	3.6	171.9	11.19	62.7	32.8	49.5	98.8	49.2	41.8	0.00	0.07	57.0	54.5	56.0	57.1	55.2	56.2	57.4	50.6	54.2
24	11.5	3.4	199.2	12.48	72.8	45.8	58.8	96.5	42.0	50.5	0.00	0.09	59.3	56.4	57.7	58.4	56.5	57.3	61.5	54.4	57.5
25	10.3	2.5	263.0	15.49	79.8	50.1	62.7	97.3	38.7	54.7	0.00	0.11	60.9	57.5	59.1	59.4	57.4	58.3	64.6	55.8	59.6
26	14.2	4.3	128.1	15.57	78.2	43.9	61.7	97.3	30.0	49.3	0.00	0.12	60.1	57.4	58.9	59.1	57.4	58.3	63.0	55.2	59.1
27	31.3	10.5	178.8	12.82	82.7	61.0	71.0	94.7	33.7	56.6	0.00	0.16	61.7	59.3	60.5	60.4	58.7	59.5	64.5	58.7	61.4
28	25.5	7.8	283.4	14.13	71.1	43.9	59.5	94.8	25.0	44.5	0.26	0.12	61.4	59.2	61.0	60.4	59.1	60.1	62.8	56.6	60.9
29	22.3	4.9	289.9	15.84	57.6	35.9	46.6	95.7	42.9	36.8	0.00	0.09	59.2	56.0	57.3	59.1	56.3	57.4	57.8	52.4	54.9
30	12.2	2.6	136.4	8.22	60.6	31.4	46.6	98.6	42.1	40.3	0.02	0.05	56.0	53.7	55.0	56.4	54.5	55.4	55.3	49.2	52.6
31	33.5	15.0	338.5	12.90	48.5	32.3	42.9	95.1	36.7	30.6	0.00	0.08	55.7	53.0	54.6	55.9	53.7	55.0	54.0	47.9	51.6
TOT				385.17							4.25	2.78									
AVG		5.8	195.2	12.4	68.2	45.4	58.3	96.1	48.0	50.5		0.09	62.1	59.5	60.9	61.5	59.7	60.6	62.7	56.8	59.6
MAX	33.5				87.0			98.8					70.9			69.4			73.5		
MIN						31.4			25.0					53.0			53.7			47.9	

Illinois Climate Network (ICN)
 November 2014
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4"	4"	4"	8"	8"	8"	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL
1	18.6	6.6	239.4	15.75	48.6	26.2	36.2	96.5	38.3	25.5	0.00	0.07	53.0	51.0	52.1	53.7	52.0	52.7	51.7	45.3	47.9
2	21.2	6.2	149.3	7.50	51.6	23.2	38.8	98.2	35.1	27.2	0.01	0.06	51.0	48.8	49.8	52.1	50.2	51.0	48.1	43.2	45.9
3	28.3	11.5	178.9	14.46	69.7	40.7	39.5	66.7	26.4	27.4	0.00	0.16	52.9	49.9	51.3	52.8	50.9	51.7	53.6	46.1	49.7
4	19.5	5.2	239.5	1.32	59.4	42.3	40.2	96.9	44.2	27.6	0.62	0.02	53.6	52.7	53.2	53.6	52.8	53.2	52.8	51.1	52.0
5	11.9	3.8	181.0	9.43	56.5	37.2	40.9	98.4	58.6	27.9	0.00	0.05	53.5	51.9	52.7	53.5	52.3	53.0	54.0	48.7	51.0
6	36.2	12.5	297.9	5.17	50.5	30.5	44.0	91.6	50.5	34.4	0.00	0.06	52.5	50.1	51.6	53.0	50.9	52.0	49.7	45.0	48.2
7	16.8	5.0	198.4	13.87	52.1	25.4	39.4	98.3	43.1	31.2	0.00	0.07	50.1	47.9	49.2	51.0	49.0	49.9	49.6	42.3	45.8
8	31.3	8.7	277.5	6.89	52.3	31.0	43.5	94.2	46.9	34.5	0.00	0.06	50.2	49.0	49.5	50.3	49.7	50.0	48.9	44.8	46.7
9	19.4	7.4	182.0	11.62	59.3	25.5	43.8	98.5	34.4	33.2	0.00	0.08	49.5	47.2	48.5	49.7	48.2	49.0	49.1	42.3	45.7
10	39.8	14.8	171.3	12.86	68.1	42.3	55.9	88.5	39.0	43.5	0.00	0.13	51.7	48.8	50.1	51.3	49.3	50.1	52.6	45.8	49.1
11	28.2	14.7	288.3	3.45	58.9	32.3	41.6	92.1	64.7	33.4	0.00	0.05	51.7	49.0	50.7	51.4	49.4	50.8	51.2	43.9	48.1
12	23.7	11.4	329.9	9.65	35.0	27.0	30.4	75.7	49.4	19.7	0.00	0.05	49.0	46.7	47.8	49.4	47.4	48.3	44.4	40.7	42.8
13	25.3	11.8	312.2	7.35	30.5	19.2	26.3	86.8	48.1	15.0	0.00	0.04	46.8	44.2	45.3	47.4	45.5	46.2	40.7	36.5	38.9
14	14.1	3.2	240.2	13.99	35.5	15.4	25.0	91.5	38.8	15.7	0.00	0.04	44.2	42.3	43.2	45.5	43.8	44.5	41.6	34.7	37.0
15	14.4	3.3	114.0	9.55	38.2	17.4	28.3	96.6	43.0	21.2	0.04	0.04	43.2	41.4	42.5	44.3	42.9	43.7	40.9	34.9	37.5
16	7.0	1.0	113.9	2.45	34.2	26.5	30.4	99.0	75.7	28.9	0.22	0.01	43.9	43.2	43.6	44.4	44.1	44.2	40.1	37.8	38.4
17	34.3	10.1	203.6	11.03	26.8	15.5	21.0	86.7	50.8	12.4	0.00	0.03	43.8	40.8	42.3	44.4	42.1	43.4	39.3	35.2	37.3
18	25.8	5.9	227.2	13.94	28.2	9.9	18.7	87.5	45.7	8.6	0.00	0.04	40.9	39.5	40.0	42.2	40.5	41.0	35.2	33.6	34.0
19	23.9	10.3	257.4	10.71	45.0	19.9	33.5	81.5	50.0	22.5	0.00	0.06	41.2	39.4	40.2	41.7	40.3	40.9	38.0	33.5	34.9
20	12.6	3.1	229.1	13.05	39.2	16.6	26.2	95.1	42.2	17.9	0.00	0.04	40.6	38.7	39.7	41.4	40.0	40.7	38.4	33.8	35.2
21	17.6	5.8	124.0	10.52	42.5	18.0	32.1	96.8	40.1	21.5	0.01	0.05	40.4	38.3	39.2	40.9	39.4	40.1	38.2	33.8	35.6
22	28.3	10.9	177.3	3.91	59.7	39.7	51.3	91.8	60.8	44.3	0.07	0.05	44.9	40.4	42.6	44.5	40.9	42.5	47.0	38.1	43.4
23	21.2	8.2	155.3	1.51	55.2	50.1	53.3	97.6	66.3	49.8	0.69	0.02	47.6	44.9	46.1	46.9	44.5	45.5	50.1	45.5	48.1
24	38.6	10.5	258.7	4.90	56.2	34.1	41.2	96.4	56.7	34.4	0.09	0.04	47.9	45.6	46.9	47.3	45.8	46.7	50.4	40.9	45.7
25	19.3	5.2	230.5	10.47	41.7	23.4	32.1	97.3	48.8	24.0	0.00	0.04	45.7	43.2	44.3	45.9	44.0	44.8	44.8	36.5	39.5
26	13.9	3.4	98.7	3.01	36.1	21.8	29.9	99.0	76.6	28.5	0.24	0.01	43.2	41.4	42.0	44.0	42.3	42.8	37.2	35.3	36.0
27	21.9	9.3	247.1	6.97	33.7	21.9	28.7	98.9	59.1	23.5	0.00	0.03	42.2	40.9	41.6	42.8	41.7	42.3	38.4	35.3	36.6
28	26.7	10.8	157.0	11.31	47.0	22.9	35.5	92.9	59.0	28.8	0.00	0.05	41.5	39.9	40.7	42.0	41.1	41.5	40.0	34.4	36.6
29	28.1	14.4	178.0	10.81	60.7	40.6	51.4	88.2	67.3	44.9	0.00	0.07	45.7	41.5	43.1	45.0	41.9	43.0	49.3	37.7	43.4
30	26.0	13.2	244.1	7.97	70.6	30.5	52.9	90.9	58.2	46.4	0.02	0.07	48.8	45.7	47.2	47.8	45.0	46.5	55.7	43.9	49.8
TOT				265.42							2.01	1.62									
AVG		8.3	210.1	8.8	48.1	27.6	37.1	92.3	50.6	28.5		0.05	47.0	44.8	45.9	47.3	45.6	46.4	45.7	40.0	42.7
MAX	39.8				70.6			99.0					53.6			53.7			55.7		
MIN						9.9			26.4					38.3			39.4			33.5	

Illinois Climate Network (ICN)
December 2014
Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4"	4"	4"	8"	8"	8"	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL
1	24.5	12.9	125.5	3.83	31.5	25.8	28.4	88.2	56.5	20.5	0.01	0.03	46.8	42.4	44.0	47.0	43.6	44.9	43.9	36.4	38.8
2	13.0	5.5	149.4	4.28	34.5	26.9	30.5	89.1	67.5	25.4	0.00	0.02	42.5	41.7	42.1	43.6	42.9	43.1	40.0	35.6	37.4
3	9.6	3.7	157.6	9.06	49.0	26.5	30.8	96.7	39.3	25.9	0.00	0.05	43.2	41.6	42.4	43.5	42.3	42.9	45.2	35.9	39.7
4	9.8	4.1	90.7	1.20	40.0	33.3	31.1	97.9	67.5	26.3	0.13	0.01	43.0	42.2	42.5	43.3	42.8	43.0	40.9	38.5	39.6
5	20.9	5.6	109.1	0.51	46.0	39.7	31.3	97.9	93.8	26.7	2.32	0.00	44.4	42.9	43.6	44.3	43.3	43.7	44.0	40.9	42.6
6	21.3	10.7	164.9	1.76	43.2	33.1	38.3	94.9	84.4	35.5	0.01	0.02	44.4	43.2	43.8	44.3	43.6	44.0	43.7	39.3	41.6
7	13.7	4.1	86.8	6.93	42.0	31.4	36.4	94.5	67.9	32.1	0.00	0.03	43.4	42.4	42.9	43.9	43.1	43.5	44.0	36.8	39.9
8	11.6	4.3	221.0	2.18	46.8	34.4	39.8	97.5	80.1	36.6	0.00	0.02	43.7	42.7	43.1	43.9	43.3	43.6	43.3	38.4	40.3
9	20.3	10.5	322.8	3.41	40.4	33.0	35.6	86.3	68.5	29.7	0.00	0.03	42.9	42.0	42.3	43.5	42.8	43.0	39.9	37.1	38.5
10	11.4	4.6	119.6	2.03	35.4	31.5	34.0	90.8	71.1	28.3	0.00	0.02	42.1	41.7	41.9	42.9	42.6	42.7	39.1	36.9	37.9
11	9.3	2.6	222.8	6.20	39.0	25.6	31.3	98.1	61.2	25.6	0.00	0.03	42.0	40.8	41.5	42.7	41.9	42.4	41.6	35.6	37.4
12	12.4	2.3	146.7	7.65	51.6	24.4	37.6	98.4	59.5	33.5	0.00	0.03	42.1	39.9	40.9	42.5	41.0	41.7	43.7	34.6	38.4
13	11.3	4.4	163.7	3.80	51.7	39.9	46.6	91.2	72.9	41.6	0.00	0.03	44.4	42.1	43.1	44.3	42.5	43.3	46.9	40.7	43.7
14	16.0	7.0	151.6	7.64	60.2	45.5	50.8	97.6	71.4	47.2	0.00	0.04	46.6	44.3	45.4	46.3	44.3	45.3	52.7	45.0	47.8
15	22.6	9.6	168.7	1.33	51.9	45.0	48.9	96.1	79.5	46.5	0.34	0.02	47.0	46.4	46.6	47.1	46.2	46.6	48.3	47.0	47.7
16	27.8	14.6	285.4	2.17	45.4	30.6	37.5	89.4	72.4	31.7	0.00	0.03	46.9	43.9	45.5	47.1	44.8	46.1	47.1	37.7	42.5
17	18.8	6.4	230.4	9.06	40.3	29.2	32.8	87.2	53.1	25.3	0.00	0.04	43.9	42.7	43.3	44.8	43.9	44.2	44.5	36.0	39.1
18	8.2	3.1	60.5	3.77	35.2	28.8	31.4	89.6	75.3	26.7	0.00	0.02	43.1	42.3	42.6	43.9	43.3	43.6	40.7	36.5	38.2
19	9.4	2.2	80.4	5.68	36.6	24.0	31.9	97.7	72.6	27.5	0.00	0.02	42.5	40.9	41.7	43.5	42.3	42.7	40.0	35.2	37.6
20	9.9	3.8	124.0	4.21	41.3	33.1	36.9	87.7	70.6	31.2	0.00	0.03	42.6	41.7	42.1	43.2	42.5	42.8	42.3	37.2	39.3
21	17.0	7.1	137.5	3.09	43.6	35.9	39.5	83.1	60.1	31.7	0.00	0.03	42.7	42.2	42.5	43.4	42.9	43.1	41.8	38.7	40.0
22	19.7	7.6	135.9	1.18	51.7	38.3	44.8	97.3	67.7	42.1	0.82	0.01	44.5	42.6	43.2	44.8	43.2	43.6	45.8	39.7	42.2
23	16.4	3.5	193.7	3.20	51.4	38.0	44.7	96.9	80.5	42.1	0.00	0.02	44.8	43.9	44.5	45.4	44.7	45.0	46.0	40.6	43.9
24	20.0	7.9	291.2	1.89	43.5	36.5	39.1	94.6	80.6	36.0	0.17	0.02	44.6	43.7	44.1	45.4	44.8	45.1	43.3	40.3	41.9
25	24.4	10.4	187.6	10.77	49.9	33.3	41.5	93.5	56.5	34.6	0.01	0.06	44.2	43.1	43.6	44.9	44.4	44.7	46.1	37.7	41.4
26	24.2	11.5	172.3	10.03	57.5	38.9	47.1	89.3	61.7	40.0	0.04	0.06	45.2	43.0	44.0	45.5	44.1	44.7	48.6	38.0	43.0
27	21.8	9.1	257.0	1.28	49.7	34.4	42.4	95.7	81.3	40.0	0.33	0.01	45.5	44.3	45.2	45.8	45.0	45.6	46.2	40.7	44.4
28	18.2	5.1	238.4	4.20	36.5	22.9	31.1	98.1	68.6	26.3	0.00	0.02	44.3	41.7	43.2	45.0	42.9	44.1	41.2	36.0	38.7
29	13.5	4.1	88.5	10.90	38.2	20.7	28.9	98.0	57.9	24.1	0.01	0.04	41.7	39.2	40.0	43.0	41.0	41.6	37.8	34.3	35.5
30	18.4	10.3	248.2	9.32	31.7	18.7	26.8	91.4	54.8	19.4	0.00	0.03	39.7	38.4	39.2	41.0	39.8	40.6	36.4	34.0	34.9
31	13.8	5.6	268.2	10.68	28.0	13.0	20.4	74.9	32.8	8.0	0.00	0.04	38.4	36.6	37.1	39.8	38.0	38.8	34.0	32.6	32.9
TOT				153.26							4.19	0.85									
AVG		6.6	174.2	4.9	43.3	31.4	36.4	92.9	67.3	31.2		0.03	43.7	42.1	42.8	44.2	43.0	43.6	43.2	37.9	40.2
MAX	27.8				60.2			98.4					47.0			47.1			52.7		
MIN						13.0			32.8					36.6			38.0			32.6	

Illinois Climate Network (ICN)
 January 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4"	4"	4"	8"	8"	8"	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL
1	18.4	5.9	230.9	9.4	42.7	20.6	31.6	85.0	46.4	20.6	0.02	0.04	37.5	36.1	36.6	38.2	37.5	37.8	32.6	32.1	32.2
2	10.1	3.3	160.6	3.2	37.9	32.2	35.2	97.8	83.5	33.3	0.05	0.01	39.2	37.5	38.4	39.7	38.2	38.9	34.7	32.3	32.8
3	14.2	3.4	171.8	1.4	42.4	35.2	35.2	98.3	95.7	33.5	0.64	0.01	40.5	39.2	39.7	40.8	39.7	40.1	39.8	34.7	37.5
4	32.3	14.9	297.8	3.0	40.3	15.8	35.3	97.7	51.5	33.6	0.01	0.02	40.6	37.6	39.7	41.0	38.9	40.3	39.5	34.0	36.8
5	20.4	7.1	235.2	9.6	25.8	12.0	35.4	74.4	52.8	33.8	0.00	0.03	37.6	35.6	36.3	38.9	36.9	37.7	34.0	32.6	32.9
6	24.5	9.8	290.1	10.5	28.8	23.0	25.4	78.1	54.5	15.3	0.00	0.04	35.6	35.2	35.4	37.0	36.3	36.6	32.6	32.3	32.4
7	30.1	14.7	328.5	10.4	23.1	1.6	10.8	90.3	44.7	1.2	0.01	0.03	35.2	34.3	34.8	36.4	35.2	35.8	32.4	31.4	32.2
8	30.1	11.5	185.8	5.2	29.1	0.4	13.3	86.4	39.8	1.6	0.00	0.03	34.3	33.6	33.9	35.2	34.5	34.8	31.4	29.5	30.2
9	30.2	12.9	303.9	11.9	31.1	7.9	18.3	81.9	38.3	4.7	0.00	0.04	33.6	33.4	33.5	34.5	34.0	34.3	31.2	28.1	29.8
10	21.9	8.5	173.5	12.7	30.7	4.5	19.2	91.0	33.8	7.3	0.00	0.05	33.4	33.1	33.2	34.0	33.8	33.9	31.1	26.6	29.0
11	19.7	7.6	169.0	2.0	37.1	29.4	33.3	98.4	43.1	24.8	0.45	0.03	33.1	33.1	33.1	33.8	33.6	33.7	31.5	30.4	31.1
12	27.1	12.6	259.8	6.8	33.1	16.7	28.7	83.3	58.9	23.9	0.00	0.03	33.1	33.1	33.1	33.7	33.6	33.6	31.7	31.6	31.6
13	16.5	8.2	82.2	11.5	29.2	13.4	19.7	88.9	56.2	13.5	0.00	0.03	33.2	33.1	33.1	33.7	33.6	33.6	31.6	27.2	29.8
14	7.6	2.8	236.1	4.1	27.0	13.0	20.8	92.2	63.2	15.2	0.00	0.02	33.2	33.0	33.1	33.6	33.5	33.6	30.8	26.5	29.1
15	13.8	3.9	209.3	12.4	46.5	19.4	32.5	96.0	41.6	23.3	0.00	0.05	33.1	33.0	33.0	33.7	33.4	33.5	31.5	29.0	30.6
16	16.2	5.0	200.4	12.2	48.8	22.3	36.3	94.3	53.3	28.7	0.00	0.06	33.0	33.0	33.0	33.6	33.4	33.5	31.6	30.7	31.3
17	29.1	11.3	208.6	9.4	54.3	34.1	43.2	86.0	48.1	33.1	0.00	0.07	33.1	33.0	33.0	33.5	33.4	33.5	31.8	31.6	31.7
18	24.2	5.6	214.6	11.9	57.4	26.5	40.9	93.3	29.8	28.9	0.00	0.07	33.1	33.0	33.1	33.5	33.4	33.5	32.1	31.7	31.8
19	8.2	2.6	86.9	12.4	54.0	25.3	37.6	96.2	45.9	29.8	0.00	0.06	33.2	33.1	33.1	33.8	33.5	33.6	34.0	31.9	32.2
20	15.6	3.8	263.4	7.6	51.6	26.4	37.6	98.4	53.8	32.1	0.00	0.04	33.5	33.2	33.3	34.2	33.7	33.9	34.0	31.9	32.4
21	25.6	6.0	232.6	12.6	47.8	25.4	36.7	96.5	46.7	29.1	0.00	0.06	34.2	33.4	33.7	34.9	34.0	34.4	37.4	31.9	33.6
22	10.4	3.4	238.3	3.8	36.3	24.9	31.5	97.7	71.7	27.7	0.00	0.02	34.0	33.6	33.7	34.7	34.1	34.3	33.5	32.8	32.9
23	10.5	2.9	215.9	8.3	41.7	23.8	32.4	96.9	53.8	26.4	0.00	0.04	35.2	33.7	34.3	35.6	34.1	34.7	39.9	32.8	34.7
24	17.0	5.8	247.2	13.3	54.7	24.3	39.9	97.0	43.9	29.4	0.00	0.07	35.5	33.9	34.5	35.5	34.4	34.9	41.0	33.0	35.8
25	31.9	10.5	266.7	1.9	47.0	30.8	40.4	96.1	59.9	36.7	0.13	0.02	37.5	35.4	36.5	37.1	35.5	36.3	41.4	36.3	38.5
26	23.7	7.2	242.5	4.4	38.9	24.0	31.1	90.6	69.0	26.1	0.00	0.02	37.1	35.6	36.1	36.9	35.9	36.3	36.3	33.5	34.1
27	18.9	5.9	196.1	8.8	44.4	24.9	35.0	97.4	56.9	30.2	0.00	0.04	37.2	35.6	36.3	36.8	35.9	36.3	40.1	33.3	35.6
28	25.7	10.2	149.3	13.4	47.1	22.9	36.3	98.0	55.0	29.3	0.00	0.06	37.0	35.1	36.0	36.8	35.6	36.1	39.6	33.3	35.7
29	34.7	15.5	286.7	1.7	50.9	35.1	42.1	77.6	64.0	33.1	0.00	0.05	38.0	37.0	37.7	37.7	36.7	37.3	38.4	36.0	37.8
30	21.0	6.4	220.4	13.9	40.7	23.5	31.7	95.1	42.1	21.4	0.00	0.06	38.3	36.7	37.4	37.9	36.9	37.4	42.6	33.9	36.8
31	15.2	4.5	153.2	4.1	43.4	24.6	34.5	94.5	50.9	26.3	0.00	0.03	36.9	35.6	36.3	37.2	36.1	36.5	36.5	33.6	34.9
TOT				253.6							1.31	1.22									
AVG		7.5	218.0	8.2	40.8	21.4	31.7	91.8	53.2	24.3		0.04	35.5	34.6	35.0	35.9	35.1	35.5	35.1	31.8	33.2
MAX	34.7				57.4			98.4					40.6			41.0			42.6		
MIN						0.4			29.8					33.0			33.4			26.5	

Illinois Climate Network (ICN)
 February 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4"	4"	4"	8"	8"	8"	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL	SOIL TEMP UNDER SOIL
1	31.8	10.4	202.4	1.8	42.6	23.1	36.3	97.8	64.8	32.9	0.68	0.02	37.9	36.8	37.3	37.6	36.8	37.1	39.1	35.4	36.8
2	31.7	11.6	271.6	12.9	28.4	16.4	21.8	82.8	54.0	14.5	0.00	0.04	37.5	35.1	35.8	37.5	35.6	36.3	35.5	33.1	33.7
3	24.6	9.6	181.6	14.3	44.0	20.4	21.9	90.2	48.8	14.6	0.00	0.06	35.6	34.5	35.0	35.8	35.1	35.4	33.1	32.7	32.8
4	24.1	11.4	287.7	9.7	44.6	16.5	21.9	93.3	55.5	14.8	0.03	0.05	36.9	35.4	36.0	36.6	35.6	36.0	38.9	32.8	34.5
5	19.9	5.2	231.6	15.6	26.6	7.0	22.0	84.7	47.3	15.0	0.00	0.04	35.9	34.4	34.9	36.1	35.0	35.4	34.0	33.0	33.3
6	20.1	9.5	179.6	13.7	48.4	19.6	33.6	81.7	50.1	23.4	0.00	0.07	34.7	34.0	34.2	35.0	34.5	34.7	33.3	32.6	32.9
7	28.0	11.6	181.5	15.0	63.0	32.7	46.8	87.1	38.8	36.6	0.00	0.10	38.9	34.6	36.3	38.0	34.9	35.9	45.5	33.0	38.2
8	23.4	11.0	242.3	13.0	68.7	39.5	52.4	85.5	46.0	43.1	0.00	0.10	42.6	38.8	40.4	41.0	37.9	39.2	52.5	39.7	44.8
9	22.3	12.8	262.0	3.6	40.1	29.4	33.0	93.2	70.1	28.2	0.00	0.03	42.0	38.8	40.2	40.9	38.9	39.8	43.6	35.4	39.0
10	14.8	5.0	108.7	14.0	42.3	25.0	32.7	93.9	51.8	25.0	0.00	0.06	39.8	37.9	38.7	39.6	38.2	38.8	44.3	34.3	37.8
11	25.8	9.0	261.8	7.3	44.2	24.7	33.1	96.1	60.1	26.5	0.00	0.04	38.6	37.2	37.9	38.9	37.6	38.0	39.1	34.4	36.3
12	38.9	13.4	293.6	13.7	28.1	12.8	20.4	82.4	46.6	9.2	0.00	0.04	37.6	35.2	36.1	37.7	35.8	36.6	34.7	32.9	33.5
13	16.5	6.3	163.5	13.4	37.0	17.8	25.8	78.2	41.2	14.3	0.00	0.05	35.2	34.5	34.8	35.9	35.2	35.5	32.9	32.5	32.6
14	37.5	12.4	257.2	8.3	38.2	10.1	26.6	90.4	31.5	14.4	0.00	0.04	34.8	34.4	34.6	35.4	34.9	35.1	32.5	32.3	32.5
15	16.3	7.1	66.5	5.6	18.9	9.1	14.4	85.8	39.7	0.2	0.02	0.03	34.4	33.7	33.9	35.0	34.2	34.5	32.3	31.1	31.6
16	17.3	6.9	166.7	7.6	18.6	2.6	14.5	93.5	78.4	11.8	0.20	0.02	33.7	33.5	33.6	34.2	33.9	34.0	31.6	31.1	31.4
17	26.5	5.6	242.0	12.3	31.2	3.3	22.1	95.9	50.1	16.2	0.03	0.04	33.5	33.4	33.4	33.9	33.7	33.8	31.7	31.2	31.5
18	36.3	15.6	307.3	18.2	25.2	6.2	13.6	93.3	38.6	1.6	0.00	0.04	33.4	33.2	33.4	33.7	33.5	33.7	31.7	31.1	31.6
19	15.3	6.4	240.8	18.6	19.2	0.6	8.8	74.7	33.4	-3.4	0.00	0.04	33.2	33.0	33.1	33.5	33.3	33.4	31.3	30.1	30.8
20	25.1	10.0	141.5	7.1	27.4	8.7	18.5	96.0	44.5	10.1	0.16	0.03	33.0	32.8	32.9	33.3	33.1	33.2	31.2	30.4	30.8
21	12.9	4.8	188.1	11.6	39.6	27.1	32.3	98.0	70.4	28.9	0.15	0.04	32.8	32.8	32.8	33.1	33.0	33.1	31.7	31.2	31.5
22	24.5	14.3	350.4	13.3	33.9	14.2	25.2	85.4	47.3	15.1	0.00	0.05	32.9	32.8	32.8	33.1	33.0	33.1	31.8	31.7	31.7
23	22.1	8.6	201.1	16.5	16.7	4.6	10.4	80.3	35.6	-1.5	0.00	0.04	32.9	32.7	32.8	33.1	33.0	33.0	31.8	29.2	30.8
24	23.3	6.6	219.2	19.1	42.3	6.3	24.4	85.9	31.4	11.9	0.00	0.07	32.8	32.6	32.7	33.0	32.8	32.9	31.5	27.4	29.9
25	15.1	3.8	133.1	15.8	44.8	18.8	31.3	94.4	44.3	22.1	0.00	0.07	32.7	32.6	32.6	32.9	32.8	32.8	31.7	30.9	31.4
26	23.8	12.9	244.4	8.4	30.6	9.7	22.9	91.1	59.5	16.7	0.02	0.03	32.7	32.6	32.6	32.8	32.8	32.8	31.8	31.5	31.7
27	18.3	6.6	197.7	18.8	21.3	3.2	12.4	76.1	41.8	1.1	0.00	0.05	32.7	32.5	32.6	32.8	32.7	32.8	31.5	25.4	29.4
28	13.6	4.3	91.6	8.0	30.3	13.2	21.8	97.2	43.7	14.5	0.49	0.03	32.6	32.5	32.5	32.7	32.7	32.7	31.5	28.4	30.2
TOT				337.2							1.77	1.29									
AVG		9.0	211.3	12.0	35.6	15.1	25.0	88.7	48.8	16.3		0.05	35.4	34.4	34.8	35.5	34.7	35.0	35.1	32.0	33.3
MAX	38.9				68.7			98.0					42.6			41.0			52.5		
MIN						0.6			31.4					32.5			32.7			25.4	
MIN						-12.1			30.9					34.4			33.1			32.6	

Illinois Climate Network (ICN)
 March 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR AVG WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4"	4"	4"	8"	8"	8"	SOIL TEMP UNDER SOIL oF	SOIL TEMP UNDER SOIL oF	SOIL TEMP UNDER SOIL oF
1	11.9	3.5	192.1	2.4	31.6	15.4	26.9	97.7	80.2	25.1	0.16	0.01	32.6	32.5	32.5	32.7	32.7	32.7	31.6	31.4	31.5
2	11.5	3.3	149.0	14.9	34.9	5.3	23.7	95.8	51.1	16.2	0.00	0.05	32.6	32.5	32.5	32.7	32.7	32.7	31.7	31.6	31.6
3	20.9	7.0	208.0	4.1	42.3	30.3	24.4	98.2	69.7	16.6	0.11	0.02	32.6	32.5	32.5	32.7	32.7	32.7	31.7	31.6	31.7
4	23.9	13.1	329.1	5.0	36.8	18.8	25.2	96.8	48.2	17.1	0.10	0.03	32.6	32.5	32.6	32.7	32.6	32.7	31.8	31.7	31.7
5	20.9	8.1	133.6	21.0	24.7	10.6	26.1	85.5	46.6	17.8	0.00	0.05	32.6	32.6	32.6	32.7	32.7	32.7	31.8	30.7	31.4
6	24.9	10.4	170.3	21.5	37.2	8.2	23.5	90.7	52.9	14.9	0.00	0.06	32.6	32.5	32.6	32.7	32.6	32.6	31.5	27.9	30.2
7	14.4	6.4	184.3	20.6	66.1	27.6	42.8	89.3	29.3	30.6	0.00	0.12	32.6	32.5	32.6	32.7	32.6	32.6	31.8	30.4	31.3
8	17.2	6.1	128.0	17.7	56.5	27.4	41.0	96.6	54.4	33.8	0.00	0.09	32.6	32.5	32.6	32.7	32.6	32.6	34.5	31.8	32.4
9	15.5	5.3	145.5	13.5	52.5	29.4	42.6	97.9	69.7	38.5	0.00	0.06	32.6	32.5	32.6	32.9	32.6	32.7	38.3	31.8	34.4
10	10.4	3.5	178.0	4.4	51.1	35.5	44.2	98.2	87.9	42.9	0.40	0.02	33.5	32.6	32.9	34.1	32.8	33.4	44.3	35.4	39.8
11	12.4	2.3	128.3	19.4	71.7	31.1	49.2	99.5	39.9	42.1	0.00	0.12	39.8	33.5	36.0	37.2	33.9	35.1	56.6	36.8	45.6
12	15.6	4.8	59.6	16.6	67.0	35.9	51.9	98.0	51.2	44.7	0.01	0.10	42.4	38.0	40.0	39.5	36.1	37.5	55.8	40.7	48.0
13	10.2	4.4	71.2	2.5	51.5	46.1	48.9	97.5	77.0	47.4	0.93	0.01	43.2	42.1	42.5	41.0	39.5	40.0	49.6	46.9	48.1
14	19.5	6.5	281.0	11.4	62.3	40.2	51.4	97.6	46.6	44.9	0.08	0.07	45.2	43.2	44.0	43.0	40.9	41.9	54.0	46.0	49.1
15	12.6	4.3	225.4	22.6	70.9	34.1	53.4	94.7	26.0	38.4	0.00	0.15	46.6	41.6	44.1	43.7	40.9	42.2	58.5	39.6	48.8
16	22.3	7.5	200.8	21.7	80.2	39.7	60.6	85.9	30.1	46.1	0.00	0.18	48.8	43.6	46.1	45.7	42.1	43.6	60.8	42.7	51.7
17	30.2	11.4	75.0	15.2	61.7	39.1	48.7	89.3	45.5	37.8	0.00	0.09	48.0	45.6	46.7	45.5	44.5	44.9	53.4	43.7	49.4
18	17.1	5.8	73.9	8.6	46.3	36.5	40.5	85.6	32.5	25.0	0.10	0.07	45.6	43.6	44.2	44.5	43.0	43.5	46.3	40.0	43.0
19	13.2	3.3	132.0	7.6	49.5	37.6	43.6	92.1	58.4	36.1	0.02	0.05	44.4	43.2	43.8	43.5	42.6	43.1	48.3	41.3	44.5
20	13.5	4.4	241.9	14.3	57.5	39.3	46.7	94.8	53.6	40.2	0.00	0.08	46.7	43.9	45.0	45.0	43.1	43.8	55.2	43.7	47.8
21	16.0	5.4	156.4	20.5	69.7	36.9	53.9	97.3	35.8	42.0	0.00	0.14	48.3	43.9	46.0	46.0	43.3	44.6	59.3	41.6	50.0
22	15.8	5.5	64.2	19.3	63.6	40.8	51.7	92.6	34.4	37.6	0.00	0.13	48.4	45.6	47.0	46.5	44.5	45.5	57.7	44.5	50.5
23	28.2	8.2	118.1	15.9	70.7	34.9	48.0	90.4	42.1	37.7	0.00	0.11	48.3	45.0	46.7	46.3	44.3	45.3	56.7	41.9	48.4
24	18.4	7.3	85.8	5.0	44.0	32.1	38.2	96.4	83.5	35.8	0.74	0.02	46.9	44.3	45.0	45.9	44.0	44.5	45.4	40.5	43.3
25	23.5	6.3	156.2	15.9	62.0	41.4	51.1	96.5	60.6	46.0	0.56	0.10	48.1	44.3	46.0	46.4	43.8	44.9	58.5	42.7	49.6
26	23.6	10.9	290.0	14.5	49.6	33.4	41.8	93.2	41.3	33.9	0.16	0.07	47.8	45.3	46.5	46.4	45.0	45.7	51.4	42.3	47.1
27	22.4	9.5	251.6	14.1	42.1	28.2	35.9	91.5	37.1	24.4	0.00	0.07	45.4	42.9	44.0	45.0	43.1	43.9	46.2	38.3	42.1
28	12.4	4.4	92.1	25.0	44.6	25.6	34.8	80.8	28.5	20.5	0.00	0.11	44.3	40.7	42.5	43.3	41.2	42.3	52.1	35.8	42.2
29	34.4	10.4	196.1	16.3	58.5	30.7	44.4	88.3	35.5	31.8	0.01	0.10	44.4	41.5	42.9	43.3	41.5	42.4	48.1	36.3	42.4
30	19.7	6.4	230.7	24.8	68.6	38.1	54.1	91.8	21.7	35.3	0.00	0.18	47.6	42.3	44.8	45.3	42.0	43.4	59.1	38.3	48.2
31	20.4	6.9	187.9	25.1	73.4	43.6	59.0	83.6	21.3	38.3	0.00	0.20	49.7	45.6	47.6	47.1	44.3	45.5	61.2	43.9	52.1
TOT				461.4							3.37	2.68									
AVG		6.5	165.7	14.9	54.8	31.4	42.8	93.0	48.1	33.5		0.09	41.8	39.5	40.6	40.6	39.0	39.7	47.5	38.1	42.5
MAX	34.4				80.2			99.5					49.7			47.1			61.2		
MIN						5.3			21.3					32.5			32.6			27.9	

Illinois Climate Network (ICN)
 April 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX 4" SOIL TEMP oF	MIN 4" SOIL TEMP oF	AVG 4" SOIL TEMP oF	MAX 8" SOIL TEMP oF	MIN 8" SOIL TEMP oF	AVG 8" SOIL TEMP oF	MAX 4" SOIL BARE SOIL oF	MIN 4" SOIL BARE SOIL oF	AVG 4" SOIL BARE SOIL oF	MAX 2" SOIL BARE SOIL oF	MIN 2" SOIL BARE SOIL oF	AVG 2" SOIL BARE SOIL oF
													SOIL TEMP UNDER	SOIL TEMP UNDER	SOIL TEMP UNDER	SOIL TEMP UNDER	SOIL TEMP UNDER	SOIL TEMP UNDER	SOIL TEMP UNDER	SOIL TEMP UNDER	SOIL TEMP UNDER	SOIL TEMP UNDER	SOIL TEMP UNDER	
1	24.2	8.1	151.0	22.4	76.3	39.2	59.9	95.5	21.9	40.4	0.00	0.20	50.1	46.2	48.2	47.9	45.1	46.4	60.2	44.1	52.4	62.6	43.0	52.8
2	27.9	9.2	178.6	12.8	77.7	59.5	65.6	94.5	47.3	57.6	0.45	0.11	53.4	49.8	51.5	50.8	47.8	49.1	64.5	52.9	58.1	67.2	52.8	59.2
3	37.1	13.3	235.5	7.1	59.8	41.0	52.2	95.9	46.5	43.5	0.39	0.07	53.2	50.0	52.1	50.8	49.4	50.4	58.5	45.6	53.8	58.7	43.3	53.2
4	14.7	6.2	237.6	26.4	58.5	31.1	46.1	78.0	29.0	27.5	0.00	0.18	51.2	47.2	49.3	49.4	47.0	48.3	59.5	39.8	49.0	62.6	37.7	48.9
5	21.2	9.3	179.7	20.1	64.7	35.1	52.8	81.7	25.5	34.6	0.00	0.16	50.4	47.6	49.2	48.8	46.9	48.0	56.4	41.4	49.2	58.9	39.6	49.3
6	21.5	7.8	156.7	7.6	62.4	52.4	57.0	96.7	58.9	49.4	0.04	0.06	51.7	49.7	50.5	49.9	48.4	49.0	56.7	49.4	52.8	58.6	49.2	53.5
7	24.1	7.9	159.7	3.9	70.3	59.7	63.9	96.8	77.0	61.2	0.57	0.03	54.1	51.6	52.9	52.5	49.9	51.0	60.0	55.0	57.3	61.9	55.5	58.3
8	33.9	7.8	157.9	7.1	78.1	60.0	68.9	96.0	65.0	63.5	0.16	0.07	56.5	53.8	55.0	55.0	52.5	53.6	65.5	56.9	61.1	68.5	57.0	62.3
9	38.9	16.4	201.6	18.8	80.8	55.3	70.4	94.1	51.6	60.5	0.18	0.18	59.4	56.1	57.5	57.3	54.9	56.3	69.5	59.6	63.8	72.6	57.9	65.0
10	34.6	12.5	254.5	27.1	69.5	43.9	56.4	77.4	25.1	37.4	0.00	0.18	58.5	55.0	56.5	56.8	54.3	55.2	65.5	50.6	57.8	68.2	48.5	57.6
11	11.8	4.5	99.1	25.3	66.9	42.5	55.1	81.4	32.7	38.0	0.00	0.18	56.6	53.3	55.1	54.9	52.5	53.8	66.6	47.6	56.5	70.4	45.5	56.9
12	22.6	7.5	145.5	17.7	75.3	50.5	63.0	69.2	29.5	41.5	0.00	0.16	56.5	54.2	55.4	54.8	53.2	54.0	63.3	51.9	57.2	66.1	51.0	57.8
13	24.9	7.6	129.6	8.9	67.5	52.7	61.8	96.6	42.2	50.3	1.02	0.09	57.0	55.0	56.1	55.3	53.7	54.5	62.9	54.1	58.0	65.2	53.5	58.4
14	21.2	7.9	77.4	17.3	68.8	51.8	59.8	69.0	26.0	37.7	0.00	0.16	56.5	54.8	55.7	55.4	54.0	54.7	62.4	52.2	56.5	64.7	51.3	56.7
15	18.9	5.2	70.8	17.2	69.5	48.2	59.1	87.7	44.1	46.8	0.00	0.13	56.7	54.2	55.5	55.5	53.6	54.6	64.5	50.6	57.3	68.6	49.7	58.1
16	10.0	2.9	117.2	19.9	76.1	55.0	63.7	96.6	53.7	57.4	0.00	0.15	59.6	55.8	57.4	57.5	54.7	55.9	72.5	56.4	63.1	77.2	56.4	64.6
17	16.3	3.6	112.5	22.5	78.2	51.9	65.1	97.4	45.3	56.7	0.00	0.17	60.4	56.8	58.5	58.2	55.7	56.9	72.4	56.0	64.1	76.6	55.2	65.4
18	16.0	4.1	117.5	18.8	78.9	53.8	67.1	97.2	44.0	57.6	0.00	0.15	60.7	57.6	59.2	58.7	56.4	57.5	71.9	57.6	64.5	76.1	57.0	65.8
19	17.4	4.5	168.5	4.3	64.8	56.9	60.4	95.1	69.2	56.8	0.42	0.03	60.1	58.7	59.2	58.5	57.5	57.8	63.7	58.4	61.4	63.8	57.7	61.4
20	33.2	14.5	273.6	17.8	58.3	42.6	52.9	83.5	38.0	39.6	0.00	0.13	58.7	55.8	57.3	57.6	55.4	56.6	60.2	51.8	57.0	60.0	51.6	56.4
21	26.4	7.8	247.8	17.4	68.2	42.4	55.3	82.7	28.3	36.4	0.00	0.15	56.6	54.2	55.3	55.5	53.8	54.5	59.6	47.8	53.6	60.5	48.0	53.9
22	26.6	9.6	293.0	28.9	58.3	38.5	48.4	83.8	24.3	30.9	0.00	0.18	55.8	53.5	54.7	54.7	53.3	53.9	61.2	50.6	55.1	61.5	49.8	54.7
23	17.3	3.9	247.5	28.7	64.8	35.4	50.4	91.0	21.9	30.6	0.00	0.20	56.0	51.2	53.5	54.0	51.4	52.7	64.5	47.7	55.7	65.3	37.7	55.4
24	28.5	8.0	131.6	10.0	64.6	38.5	52.5	96.1	29.7	39.8	0.00	0.09	54.2	52.1	53.2	53.4	51.8	52.4	56.8	50.8	53.8	57.2	50.0	53.5
25	22.8	8.1	109.6	7.9	67.2	48.2	57.0	96.2	72.1	53.7	0.35	0.06	56.2	53.4	54.6	54.6	52.6	53.4	61.4	53.4	56.8	62.5	53.2	57.1
26	21.6	9.1	20.4	28.1	62.2	41.7	52.8	91.2	33.6	39.8	0.00	0.19	57.4	54.0	55.6	55.5	53.6	54.5	65.4	52.4	57.8	66.1	52.2	57.9
27	25.7	8.0	63.5	25.8	65.8	36.9	52.8	89.1	32.6	37.0	0.00	0.19	56.6	52.9	54.7	54.9	52.7	53.9	63.1	48.8	55.5	63.8	48.5	55.6
28	20.8	5.5	96.9	28.8	68.9	38.1	53.3	95.0	32.5	40.8	0.00	0.20	57.7	52.5	55.0	55.3	52.4	53.8	66.1	48.6	57.2	67.0	48.3	57.3
29	21.9	4.4	255.3	25.7	73.0	39.4	57.6	97.1	27.7	42.6	0.00	0.20	57.8	53.0	55.5	55.7	52.7	54.2	67.2	50.3	58.7	67.9	49.9	58.7
30	27.1	8.3	122.7	29.2	69.0	45.2	57.2	90.5	24.5	39.4	0.00	0.22	58.2	54.1	56.1	56.0	53.5	54.8	67.0	52.4	59.1	66.6	52.1	58.7
TOT				553.8							3.58	4.27												
AVG		7.8	160.4	18.5	68.8	46.2	57.9	89.8	40.0	45.0		0.14	56.3	53.1	54.7	54.5	52.3	53.4	63.6	51.2	57.1	65.6	50.1	57.5
MAX	38.9				80.8			97.4					60.7			58.7			72.5			77.2		
MIN						31.1			21.9					46.2				45.1			39.8			37.7

Illinois Climate Network (ICN)
 May 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4" SOIL TEMP oF	4" SOIL TEMP oF	4" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	4" SOIL TEMP oF	4" SOIL TEMP oF	4" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF
1	10.2	2.0	184.8	30.0	71.1	35.1	53.2	96.0	29.3	39.0	0.00	0.21	59.0	53.0	55.9	56.3	52.8	54.5	70.5	49.6	59.7	71.4	48.8	59.6
2	17.7	5.2	163.3	26.4	76.8	44.7	62.7	95.5	24.9	45.2	0.00	0.22	60.1	54.9	57.4	57.4	54.0	55.6	71.6	54.6	62.6	72.4	54.5	62.9
3	27.5	9.4	171.5	27.5	81.4	53.3	69.9	82.5	30.1	49.8	0.00	0.26	62.1	57.4	59.7	59.1	56.1	57.5	74.2	58.6	65.9	74.8	58.6	66.3
4	22.7	8.6	183.0	22.3	84.8	63.6	72.6	74.6	33.6	55.8	0.00	0.22	63.5	59.5	61.3	60.7	57.8	59.1	75.4	61.6	67.6	76.3	61.9	68.2
5	21.0	6.7	177.9	24.8	85.5	58.6	72.6	86.0	31.8	56.5	0.00	0.23	64.6	60.2	62.4	61.9	58.9	60.3	78.3	61.6	69.4	79.1	61.8	69.9
6	25.1	8.0	157.7	28.1	85.4	55.8	72.3	96.5	31.2	55.8	0.00	0.26	65.2	60.7	62.9	62.6	59.6	61.1	79.0	62.2	70.2	79.6	62.5	70.6
7	24.9	9.3	163.9	24.0	85.6	57.5	73.2	91.5	38.1	59.0	0.00	0.22	65.3	61.1	63.2	63.0	60.0	61.5	78.3	62.9	70.5	79.0	63.3	70.9
8	27.5	4.9	184.6	10.9	82.9	63.1	69.2	96.5	56.8	64.3	0.51	0.09	64.9	62.6	63.8	62.9	61.4	62.2	72.2	65.9	69.0	73.2	66.3	69.5
9	15.9	4.1	117.4	8.1	74.2	63.2	67.7	97.1	77.9	65.6	0.66	0.06	65.6	63.2	64.3	64.0	62.0	62.8	72.4	65.4	68.1	74.2	65.7	68.9
10	27.0	6.3	158.4	21.5	83.2	64.3	70.3	96.2	55.2	64.9	0.97	0.13	68.9	64.2	66.0	66.8	63.6	65.0	80.4	65.8	71.5	83.3	66.1	72.5
11	20.2	6.8	221.0	16.4	74.4	56.7	65.5	96.9	46.8	57.9	1.95	0.12	67.2	65.3	66.2	66.6	65.4	65.9	75.2	64.2	69.2	77.5	64.0	70.1
12	30.1	9.0	281.5	30.8	68.3	49.1	58.0	92.2	31.9	43.8	0.00	0.21	65.7	62.5	64.2	65.6	63.0	63.9	73.2	58.3	65.2	73.0	58.0	64.6
13	13.7	4.6	89.7	29.1	69.2	45.8	59.0	95.2	43.8	47.4	0.00	0.21	65.8	60.8	63.2	64.1	60.9	62.5	75.2	56.1	65.4	77.1	55.7	65.6
14	24.5	7.9	142.1	14.4	74.8	54.7	63.2	92.6	53.7	55.3	0.14	0.12	64.6	62.5	63.4	63.7	62.0	62.9	69.7	61.4	64.7	71.7	61.8	65.4
15	31.4	6.7	166.2	16.5	83.6	60.9	69.3	95.3	59.3	62.7	0.11	0.14	66.4	62.7	64.6	64.7	62.6	63.6	74.7	62.1	67.6	77.2	62.0	68.2
16	18.1	8.9	162.4	14.6	78.2	66.2	71.2	94.3	68.0	66.7	0.06	0.11	67.7	64.9	66.2	66.5	64.4	65.4	73.9	65.9	69.5	76.0	66.1	70.3
17	27.1	11.8	175.1	20.5	81.9	67.7	73.6	92.9	50.4	66.1	0.02	0.17	69.3	66.3	67.5	67.6	66.4	67.1	76.3	67.9	71.0	79.0	68.1	72.0
18	27.3	7.6	265.7	27.1	86.3	59.4	74.1	93.9	37.4	63.3	0.00	0.25	72.2	67.2	69.4	69.3	67.1	68.1	83.6	68.6	74.4	85.5	68.3	74.8
19	19.4	8.2	193.6	30.6	66.4	49.0	57.3	77.5	49.8	45.3	0.00	0.21	69.6	65.4	67.7	68.2	65.4	66.7	77.5	62.2	69.3	78.0	61.0	68.6
20	18.3	7.7	96.7	4.4	56.0	46.8	49.9	93.8	67.9	44.4	0.16	0.03	66.9	61.9	64.2	66.4	62.5	64.2	66.1	57.5	61.3	65.1	56.6	60.6
21	19.0	7.2	276.5	26.6	64.1	45.5	53.0	93.3	39.7	42.4	0.00	0.17	64.4	60.2	62.1	63.3	61.1	62.2	70.0	55.5	61.8	70.9	54.7	61.4
22	13.5	3.0	215.0	23.7	77.0	44.7	62.5	94.9	32.6	48.9	0.00	0.18	64.7	59.5	62.1	63.3	60.4	61.9	72.0	56.0	64.5	72.9	55.2	64.4
23	20.5	5.7	137.4	25.9	78.5	57.3	68.6	93.8	32.3	53.4	0.00	0.22	67.3	62.5	64.7	65.3	62.2	63.6	76.2	62.8	68.8	78.7	54.5	69.3
24	34.6	11.7	151.2	23.0	85.2	62.3	73.4	93.6	48.6	61.6	0.89	0.21	68.0	64.1	66.1	66.1	63.6	64.8	76.5	64.5	70.3	78.2	64.3	70.7
25	23.9	12.0	175.3	25.4	82.5	67.7	74.3	90.5	53.5	66.3	0.00	0.22	70.7	66.5	68.3	68.4	65.5	66.7	78.9	67.9	72.6	82.7	67.8	73.8
26	34.4	11.9	186.4	21.5	77.9	67.1	72.6	92.3	53.8	63.7	0.50	0.18	70.3	68.2	69.1	68.7	67.5	68.1	76.7	69.6	72.5	79.0	69.5	73.5
27	26.6 M	5.5 M	202.5 M	21.6 M	84.0 M	61.3 M	71.0 M	95.1 M	42.5 M	61.9 M	0.09 M	0.18 M	71.4 M	67.2 M	69.1 M	69.4 M	67.2 M	68.2 M	80.5 M	67.2 M	72.4 M	83.7 M	67.2 M	72.9 M
28	18.3	5.4	120.7	24.0	83.2	59.2	72.0	96.2	54.0	64.1	0.00	0.20	71.6	67.2	69.4	69.8	67.1	68.4	80.4	65.8	73.2	83.9	64.8	74.1
29	22.0	6.3	163.2	15.0	84.8	66.1	71.1	94.8	57.3	66.8	1.03	0.12	71.8	68.7	70.1	70.1	68.2	69.2	79.1	69.0	72.8	82.7	68.5	73.2
30	23.7	7.2	240.2	9.0	77.2	58.2	68.8	96.0	73.5	65.8	1.12	0.07	70.7	69.1	69.9	70.7	69.6	70.2	75.9	68.1	71.3	78.5	66.7	71.5
31	19.3	8.7	181.2	9.8	59.8	52.1	56.2	93.5	74.9	51.8	0.00	0.06	69.1	65.2	66.6	70.1	67.8	68.7	68.1	62.4	64.9	68.4	61.4	64.1
TOT				653.4 M							8.20 M	5.29 M												
AVG		7.4 M	177.6 M	21.1 M	77.6 M	56.7 M	66.7 M	92.6 M	47.8 M	56.6 M		0.17 M	66.9 M	63.1 M	64.9 M	65.2 M	62.8 M	63.9 M	75.2 M	62.6 M	68.3 M	76.9 M	62.1 M	68.7 M
MAX	34.6 M			86.3 M				97.1 M					72.2 M			70.7 M			83.6 M			85.5 M		
MIN						35.1 M			24.9 M					53.0 M				52.8 M			49.6 M			48.8 M

Illinois Climate Network (ICN)
 June 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND °	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP °F	MIN AIR TEMP °F	AVG AIR TEMP °F	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT °F	TOTAL PRECIP IN	TOTAL EVAP IN	MAX 4" SOIL TEMP °F	MIN 4" SOIL TEMP °F	AVG 4" SOIL TEMP °F	MAX 8" SOIL TEMP °F	MIN 8" SOIL TEMP °F	AVG 8" SOIL TEMP °F	MAX 4" SOIL TEMP °F	MIN 4" SOIL TEMP °F	AVG 4" SOIL TEMP °F	MAX 2" SOIL TEMP °F	MIN 2" SOIL TEMP °F	AVG 2" SOIL TEMP °F
													SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F	SOIL TEMP °F
1	13.1	5.7	72.8	10.2	65.1	55.2	60.1	95.3	68.9	55.3	0.00	0.07	65.9	64.4	65.1	68.2	67.2	67.7	68.5	61.2	64.4	69.8	60.3	64.3
2	12.3	4.2	86.8	20.6	69.5	56.7	62.5	95.2	62.2	55.7	0.00	0.15	67.9	64.4	65.9	68.2	67.2	67.7	74.6	62.0	67.4	77.4	61.4	67.9
3	14.3	4.0	166.7	23.0	74.6	53.5	64.5	96.5	57.0	58.2	0.00	0.17	69.4	64.5	66.8	68.6	66.2	67.3	77.3	61.1	68.5	80.6	60.0	69.2
4	14.1	3.9	189.2	15.6	78.6	60.0	69.0	95.7	65.6	63.8	0.00	0.12	69.5	66.2	67.7	68.8	66.9	67.8	76.3	64.5	69.9	78.6	63.8	70.6
5	14.8	4.1	218.7	23.6	86.3	64.6	74.3	95.9	43.1	66.1	0.17	0.20	72.4	67.5	69.7	70.9	67.9	69.3	82.5	67.6	74.4	86.2	67.3	75.5
6	14.9	4.1	86.2	30.2	85.0	60.9	72.5	93.2	50.3	62.3	0.00	0.25	73.9	68.9	71.3	72.1	69.1	70.5	87.2	67.5	76.9	89.5	66.5	77.5
7	29.6	10.6	185.3	28.4	90.8	64.8	79.6	96.1	50.3	69.2	0.00	0.27	74.5	70.1	72.3	72.8	70.1	71.4	87.0	70.7	78.9	88.7	69.9	79.3
8	30.7	5.6	231.3	18.6	85.0	66.8	73.5	95.4	39.9	66.7	0.66	0.16	74.8	71.6	73.0	73.5	71.2	72.3	83.8	72.7	76.9	86.3	72.1	77.1
9	13.2	3.0	235.3	30.2	91.3	63.5	77.2	96.2	29.7	63.0	0.00	0.27	75.7	70.5	73.0	74.0	71.2	72.5	88.9	68.8	78.6	90.5	67.8	79.0
10	15.5	5.5	184.5	31.0	92.3	66.3	79.8	93.2	33.2	65.0	0.00	0.21	76.7	71.3	73.9	74.8	71.5	73.1	91.6	71.3	81.0	93.6	70.1	81.2
11	24.1	6.9	165.5	26.7	90.8	67.5	80.0	94.5	38.7	67.8	0.00	0.25	76.9	72.6	74.7	75.1	72.5	73.7	89.9	73.7	81.3	91.8	72.7	81.6
12	21.1	8.3	193.2	24.6	91.3	72.7	80.7	90.3	40.3	69.9	0.00	0.23	77.1	73.8	75.4	75.5	73.3	74.4	90.9	75.9	82.6	93.1	75.5	83.0
13	23.7	10.4	180.3	25.9	87.0	71.3	79.3	92.8	55.1	69.7	0.00	0.24	77.3	73.7	75.4	75.7	73.5	74.6	90.3	75.3	82.1	92.2	74.8	82.6
14	21.4	7.7	191.4	15.9	85.6	73.2	77.1	91.1	61.4	70.9	0.16	0.14	76.6	74.4	75.4	75.8	74.2	74.9	83.7	76.6	79.8	86.1	76.1	80.2
15	22.4	7.7	196.9	23.9	88.5	71.1	78.5	93.5	53.7	71.1	0.11	0.21	78.0	74.1	75.9	76.9	74.8	75.7	88.1	73.7	80.1	89.8	73.5	80.8
16	19.3	3.8	180.3	12.6	82.8	71.3	74.6	95.7	68.3	71.3	2.25	0.10	76.6	74.7	75.7	76.7	75.4	76.1	84.4	75.2	78.3	87.1	75.0	78.8
17	17.4	5.2	202.4	8.1	80.9	71.0	75.0	95.7	78.9	71.6	0.09	0.07	75.7	74.6	75.1	78.0	76.4	77.3	79.5	74.1	76.5	80.9	74.0	76.9
18	13.7	3.0	139.2	9.2	79.1	69.9	73.7	96.0	73.7	70.8	0.14	0.07	75.1	73.9	74.6	78.5	77.5	78.0	78.5	72.9	76.0	79.4	72.8	76.3
19	19.6	7.4	101.6	8.8	80.1	70.5	72.9	96.5	77.4	70.6	3.29	0.07	74.9	73.3	74.2	79.2	78.1	78.5	80.1	73.0	75.3	82.1	73.0	75.6
20	34.9	8.1	242.3	25.4	85.9	69.0	76.9	92.1	56.2	69.4	0.03	0.22	77.7	73.2	75.1	82.8	78.7	80.9	88.3	72.6	79.0	90.7	72.4	79.9
21	24.8	4.5	171.3	16.7	87.0	68.6	76.0	94.3	58.6	69.9	0.17	0.14	77.3	74.2	75.9	81.5	80.5	81.0	86.4	73.3	79.0	88.5	73.1	79.6
22	21.1	9.3	196.3	25.3	90.0	72.9	81.9	94.8	57.9	73.3	0.00	0.23	78.9	75.0	76.8	82.2	80.5	81.3	89.3	74.8	81.5	90.0	75.1	82.0
23	23.2	6.4	252.5	22.8	86.8	67.6	79.0	90.1	46.4	67.7	0.00	0.21	79.1	76.4	77.5	82.1	80.5	81.2	90.4	77.2	82.0	88.8	60.0	81.4
24	16.4	4.9	116.5	27.5	83.8	64.8	76.0	95.7	47.0	65.0	0.00	0.24	78.4	74.7	76.6	80.5	78.6	79.6	87.5	73.6	80.4	88.8	74.0	80.3
25	52.1	7.7	192.3	24.1	93.1	68.9	78.9	94.0	47.7	69.7	0.94	0.22	79.8	75.4	77.2	81.4	78.4	79.7	90.7	76.2	81.6	94.2	75.2	82.0
26	21.1	6.2	216.7	16.2	82.1	68.4	73.2	96.4	60.3	67.8	0.72	0.13	78.0	74.8	76.4	82.0	78.6	80.4	83.5	73.5	77.5	85.8	72.8	77.4
27	21.6	8.1	301.6	24.8	79.7	63.2	70.9	95.7	45.6	61.6	0.00	0.20	77.4	74.1	75.7	80.8	78.7	79.6	81.5	70.9	75.6	83.2	69.6	75.4
28	26.0	5.3	191.1	20.4	82.1	60.9	72.1	96.9	47.5	63.5	0.18	0.18	76.5	72.7	74.7	79.4	76.7	78.1	81.7	67.9	75.0	85.2	66.4	75.0
29	36.9	6.0	271.1	27.0	82.1	66.5	73.9	94.6	51.1	66.1	0.42	0.22	78.2	73.3	75.5	81.3	77.0	79.0	84.3	69.9	76.8	86.6	68.8	77.1
30	12.4	2.0	249.2	19.4	84.7	65.9	74.6	96.5	50.9	67.7	0.00	0.16	78.4	73.9	76.1	81.2	78.3	79.8	83.5	70.9	77.0	85.8	69.5	77.3
TOT				636.9							9.34	5.39												
AVG		6.0	187.0	21.2	84.1	66.3	74.6	94.7	53.9	66.7		0.18	75.6	72.1	73.8	76.6	74.4	75.4	84.3	71.3	77.2	86.4	70.1	77.5
MAX	52.1				93.1			96.9					79.8			82.8			91.6			94.2		
MIN						53.5			29.7					64.4				66.2		61.1			60.0	

Illinois Climate Network (ICN)
 July 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND °	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP °F	MIN AIR TEMP °F	AVG AIR TEMP °F	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT °F	TOTAL PRECIP IN	TOTAL EVAP IN	MAX 4" SOIL TEMP UNDER °F	MIN 4" SOIL TEMP UNDER °F	AVG 4" SOIL TEMP UNDER °F	MAX 8" SOIL TEMP UNDER °F	MIN 8" SOIL TEMP UNDER °F	AVG 8" SOIL TEMP UNDER °F	MAX 4" SOIL TEMP UNDER °F	MIN 4" SOIL TEMP UNDER °F	AVG 4" SOIL TEMP UNDER °F	MAX 2" SOIL TEMP UNDER °F	MIN 2" SOIL TEMP UNDER °F	AVG 2" SOIL TEMP UNDER °F
													SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F	SOIL TEMP UNDER °F
1	18.1	3.4	229.8	17.8	85.0	69.8	75.1	95.7	56.4	69.1	0.39	0.14	79.1	75.3	77.0	81.6	79.3	80.3	84.7	73.4	78.0	87.8	72.9	78.5
2	16.0	5.4	40.0	13.0	78.2	63.1	70.5	95.8	65.4	65.7	0.25	0.10	77.5	75.6	76.6	80.9	79.4	80.2	80.1	72.8	75.6	81.9	71.5	75.4
3	14.7	5.2	206.2	23.6	82.3	66.4	72.9	94.6	51.5	65.5	0.00	0.19	78.5	74.6	76.3	81.1	79.3	80.1	83.9	70.4	76.6	86.7	69.5	76.8
4	11.5	2.2	99.1	25.6	83.1	63.6	72.8	96.1	43.5	64.1	0.00	0.21	78.7	74.2	76.4	80.5	78.4	79.5	87.0	69.6	77.8	89.1	68.3	78.0
5	12.3	3.2	168.4	26.1	85.3	62.8	74.7	96.9	47.0	66.2	0.00	0.22	79.0	74.2	76.6	80.7	77.7	79.2	89.5	70.5	79.6	91.9	69.1	79.9
6	23.5	8.5	168.4	20.8	87.8	66.8	78.0	95.9	63.2	71.8	0.00	0.18	78.5	75.3	77.0	80.3	78.4	79.5	87.9	73.3	80.2	89.0	72.4	80.1
7	18.2	7.0	183.3	6.9	78.9	63.2	72.2	94.8	76.8	68.0	0.03	0.06	77.4	74.9	76.4	80.0	78.7	79.5	79.4	73.0	77.1	79.4	72.4	76.9
8	29.2	5.6	102.6	5.7	77.6	59.0	65.8	96.8	79.4	63.1	1.30	0.04	74.9	71.5	72.9	78.7	76.4	77.3	73.0	68.0	70.9	73.3	67.5	70.9
9	17.9	4.8	223.1	14.1	74.0	62.8	68.5	94.8	68.6	62.9	0.01	0.10	74.5	72.0	73.2	78.0	77.3	77.7	77.6	69.4	73.2	79.3	68.8	73.4
10	11.6	3.3	104.5	15.3	80.2	65.6	71.1	95.8	66.0	66.5	0.27	0.10	75.8	72.5	73.9	79.8	76.9	77.6	80.9	70.0	74.6	82.9	69.6	75.1
11	15.3	5.1	167.3	26.3	91.4	68.2	79.3	95.1	46.9	71.6	0.00	0.23	78.9	73.7	76.1	79.3	77.3	78.2	87.4	71.6	79.3	89.6	71.3	80.2
12	13.2	4.4	196.9	29.2	92.9	73.1	82.6	91.2	47.4	71.8	0.00	0.27	81.4	76.0	78.6	81.0	78.0	79.3	94.4	74.7	84.0	96.0	74.2	84.6
13	18.5	6.3	210.7	29.5	95.5	74.4	85.7	92.7	52.9	75.6	0.00	0.28	82.9	77.9	80.3	82.5	79.4	80.8	97.0	78.2	87.3	98.8	77.5	87.8
14	20.6	5.0	219.6	29.4	95.8	75.1	86.0	91.8	40.7	73.1	0.00	0.28	83.9	79.7	81.6	83.8	81.1	82.3	99.1	81.6	89.5	100.9	81.2	89.7
15	14.8	4.6	73.7	27.8	84.4	67.5	76.6	93.0	52.6	66.9	0.00	0.24	82.3	78.8	80.6	82.8	80.5	81.8	94.3	78.7	86.3	95.7	78.1	86.3
16	23.5	7.7	149.6	23.3	88.3	69.2	79.0	94.8	60.1	71.9	0.00	0.21	80.9	78.2	79.6	81.8	80.1	81.0	92.4	78.2	84.8	93.4	78.0	84.9
17	17.9	5.3	206.6	22.2	94.1	75.4	84.1	94.4	48.3	75.3	0.00	0.21	81.9	78.5	80.1	82.6	80.5	81.5	95.1	79.5	86.5	97.2	79.4	86.7
18	15.9	5.3	201.6	23.3	93.2	78.2	85.2	90.9	51.8	75.2	0.00	0.22	82.3	79.7	80.9	83.1	81.5	82.2	95.1	81.8	88.0	96.1	81.6	88.1
19	17.7	4.9	171.2	11.2	84.6	70.7	78.0	94.0	61.5	71.0	0.11	0.10	81.1	79.3	80.0	82.5	81.1	81.6	87.2	80.3	83.3	87.7	79.4	83.2
20	16.6	2.5	210.5	10.8	81.7	69.8	75.5	96.3	75.4	72.2	0.24	0.09	79.5	78.0	78.8	81.3	80.2	80.8	83.4	76.6	79.9	84.5	76.3	80.1
21	15.9	5.3	223.2	24.4	83.3	66.0	75.5	95.3	42.0	66.2	0.00	0.20	79.5	77.3	78.4	81.0	79.4	80.2	86.0	75.0	80.1	86.8	75.0	80.3
22	13.5	3.9	87.8	22.5	84.0	63.8	74.4	95.9	47.3	64.1	0.00	0.19	78.3	75.5	77.0	79.4	77.7	78.6	87.8	72.6	79.9	87.6	72.5	79.5
23	12.9	3.6	75.8	24.7	86.2	66.9	77.1	93.4	43.7	63.5	0.00	0.22	79.5	76.3	77.7	80.1	77.8	78.9	92.3	76.2	83.1	91.9	67.5	82.6
24	15.4	2.8	123.8	26.4	88.9	63.5	76.9	96.2	48.3	67.3	0.00	0.23	79.8	75.5	77.7	80.1	77.4	78.8	93.6	75.3	83.7	93.7	75.1	83.4
25	17.9	3.4	137.5	19.1	91.8	71.1	80.2	95.0	54.2	72.8	0.00	0.16	79.9	77.0	78.3	80.2	78.3	79.2	91.0	78.7	83.9	90.8	78.7	83.8
26	30.5	5.4	174.2	16.1	86.5	71.8	78.2	95.9	61.0	73.0	0.12	0.14	79.6	77.3	78.4	80.0	78.5	79.3	86.5	78.4	81.9	87.5	78.2	82.1
27	19.2	3.4	145.1	20.2	92.2	71.3	79.1	95.2	62.0	73.4	1.03	0.18	80.7	76.8	78.8	80.7	78.6	79.7	92.1	76.3	82.5	93.8	76.5	83.0
28	21.5	2.5	176.7	22.4	94.7	71.5	80.2	96.1	54.4	74.8	0.06	0.20	81.8	77.9	79.8	81.6	79.4	80.4	93.5	76.9	83.5	94.0	77.0	83.8
29	22.7	6.5	307.0	26.8	89.1	68.1	80.6	94.8	52.8	72.0	0.00	0.24	82.4	79.2	80.7	81.9	80.3	81.0	92.6	79.1	84.8	92.0	79.1	84.5
30	13.7	2.9	274.3	28.6	89.3	61.8	75.4	95.6	30.8	62.5	0.00	0.25	80.0	76.8	78.4	80.7	78.4	79.3	92.6	74.2	82.6	90.6	74.3	81.9
31	14.8	3.8	259.1	29.1	90.4	65.9	78.0	95.6	29.5	65.7	0.00	0.26	79.2	75.9	77.6	79.4	77.5	78.5	93.9	75.6	83.8	91.6	75.5	83.0
TOT				662.3							3.80	5.73												
AVG		4.6	171.5	21.4	86.8	68.0	77.1	94.9	54.2	69.1	0.18		79.7	76.3	77.9	80.9	78.9	79.8	88.7	75.2	81.4	89.7	74.5	81.4
MAX	30.5				95.8			96.9					83.9			83.8			99.1			100.9		
MIN						59.0			29.5					71.5				76.4			68.0		67.5	

Illinois Climate Network (ICN)
 August 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR AVG WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4" SOIL TEMP UNDER SOD oF	4" SOIL TEMP UNDER SOD oF	4" SOIL TEMP UNDER SOD oF	8" SOIL TEMP UNDER SOD oF	8" SOIL TEMP UNDER SOD oF	8" SOIL TEMP UNDER SOD oF	4" SOIL TEMP UNDER SOD oF	4" SOIL TEMP UNDER SOD oF	4" SOIL TEMP UNDER SOD oF	2" SOIL TEMP UNDER SOD oF	2" SOIL TEMP UNDER SOD oF	2" SOIL TEMP UNDER SOD oF			
1	9.5	2.1	157.8	24.3	88.2	65.8	76.8	95.9	39.2	66.4	0.00	0.20	79.4	75.9	77.6	79.5	77.2	78.3	92.3	76.7	83.6	90.9	76.5	82.9			
2	14.8	4.6	194.4	28.8	93.0	68.3	80.8	95.4	41.5	70.0	0.00	0.26	80.2	76.4	78.3	80.1	77.6	78.8	95.3	77.6	85.4	93.4	77.4	84.7			
3	16.6	3.7	210.3	27.0	91.0	70.9	80.9	93.2	40.2	68.6	0.00	0.25	80.3	77.3	78.8	80.0	78.2	79.1	94.5	79.3	86.0	92.0	79.2	85.1			
4	15.3	3.1	86.0	21.3	90.1	70.1	78.1	95.1	52.7	70.4	0.00	0.18	80.3	77.2	78.7	79.8	77.9	78.9	92.9	79.3	84.9	91.0	79.3	84.1			
5	30.8	5.3	116.0	13.7	81.1	66.4	73.2	96.5	64.9	69.3	2.25	0.11	78.7	76.4	77.3	79.2	77.4	78.1	84.4	75.6	80.1	83.2	76.5	79.6			
6	16.7	5.8	160.3	19.5	83.6	68.9	74.8	96.6	58.6	69.2	0.01	0.15	78.4	76.0	77.0	78.1	76.9	77.4	86.6	76.0	80.0	86.3	75.9	79.7			
7	10.0	2.2	107.6	24.0	86.7	63.0	72.8	96.3	49.5	66.3	0.00	0.19	78.6	75.3	76.9	78.5	76.6	77.5	87.9	73.1	79.5	86.2	73.1	79.0			
8	15.1	2.4	169.8	16.6	88.8	66.6	76.9	96.6	55.8	71.5	0.00	0.14	78.5	75.7	77.2	78.6	76.8	77.7	84.3	74.2	79.2	83.8	74.1	78.9			
9	24.0	6.3	165.2	15.2	87.2	71.1	77.4	95.7	68.5	72.8	0.47	0.13	78.5	76.7	77.6	79.1	77.6	78.3	83.9	76.1	79.6	82.7	76.1	79.0			
10	16.8	4.6	248.5	15.5	87.7	71.1	77.7	95.3	58.7	72.3	0.00	0.10	79.3	77.0	78.0	79.8	78.5	79.1	84.5	76.2	79.8	84.0	76.0	79.3			
11	21.7	7.0	301.0	27.2	84.6	66.5	75.6	92.9	45.2	66.2	0.00	0.23	78.1	76.2	77.2	79.2	77.5	78.3	85.4	75.5	79.7	84.9	75.1	79.2			
12	10.1	2.1	220.2	25.3	85.5	62.6	73.4	95.9	38.9	63.4	0.00	0.21	77.4	74.4	76.0	77.7	75.9	76.8	85.0	73.1	78.7	86.2	72.4	78.6			
13	8.3	1.5	218.3	25.7	86.0	60.9	73.3	96.8	43.8	64.9	0.00	0.21	77.3	73.9	75.7	77.5	75.3	76.5	86.1	73.1	79.0	86.6	72.3	78.8			
14	6.3	1.4	182.1	18.0	85.3	65.6	74.3	96.6	50.3	67.0	0.00	0.15	76.9	74.5	75.7	77.2	75.6	76.4	83.6	74.7	78.4	84.2	74.2	78.3			
15	9.5	1.7	172.4	24.1	88.2	63.6	75.6	96.9	48.9	67.7	0.00	0.20	77.4	74.0	75.7	77.5	75.2	76.3	85.9	73.5	79.2	86.8	73.0	79.1			
16	11.8	3.3	159.9	25.6	88.3	63.8	76.4	96.9	44.4	68.2	0.00	0.22	77.4	74.3	76.0	77.7	75.4	76.5	87.4	74.3	80.2	87.7	73.7	80.0			
17	14.7	4.6	167.0	24.5	87.5	65.6	77.1	96.5	49.7	69.2	0.00	0.21	77.5	74.7	76.2	77.8	75.7	76.8	87.3	75.3	80.7	87.2	74.7	80.4			
18	32.1	6.6	172.2	19.5	87.6	70.0	75.5	95.8	58.0	70.6	1.46	0.16	77.5	75.6	76.4	77.7	76.4	77.0	85.4	76.7	79.9	85.7	76.3	79.5			
19	32.5	4.2	236.2	13.8	76.9	59.3	68.7	95.6	57.6	62.7	0.77	0.11	75.9	74.3	75.0	76.8	75.6	76.1	80.1	72.5	76.1	80.4	71.8	75.8			
20	19.8	3.1	234.8	27.9	82.3	55.7	67.7	96.0	31.8	56.3	0.00	0.22	75.4	72.1	73.8	75.7	73.9	74.8	82.2	68.5	74.5	80.3	68.0	73.7			
21	21.1	3.6	142.3	25.7	81.0	56.4	68.7	97.2	42.3	59.7	0.00	0.21	74.4	71.6	73.1	75.1	73.0	74.1	82.0	68.6	74.8	80.9	67.7	73.9			
22	22.5	3.7	104.1	10.4	76.9	58.6	67.7	96.8	64.6	64.2	0.18	0.08	73.0	71.6	72.4	74.4	73.1	73.7	76.7	70.2	73.0	76.2	69.2	72.3			
23	20.3	5.8	242.7	15.5	78.7	58.6	70.7	96.6	45.0	65.1	0.00	0.12	74.4	72.2	73.1	74.9	73.5	74.1	78.8	70.8	74.1	77.2	67.7	73.3			
24	19.8	5.4	280.7	27.9	78.5	53.3	65.7	95.8	31.7	53.1	0.00	0.23	73.4	70.2	71.9	74.0	72.1	73.0	79.2	66.5	72.1	76.3	65.6	70.6			
25	18.5	4.8	233.5	27.4	77.3	51.4	64.0	96.3	33.5	52.7	0.00	0.22	72.3	69.0	70.7	72.7	70.8	71.7	78.2	65.2	71.1	75.1	64.0	69.4			
26	14.8	3.6	224.5	25.1	78.4	52.0	65.2	96.6	42.6	55.9	0.00	0.20	72.0	68.2	70.1	71.7	69.9	70.9	77.8	65.2	71.0	76.8	64.0	70.1			
27	10.4	2.0	152.5	23.0	78.8	51.4	64.6	97.1	45.2	57.4	0.00	0.18	71.5	68.3	70.0	71.7	69.8	70.8	77.5	66.0	71.3	77.4	65.3	70.8			
28	14.6	4.2	155.3	19.9	80.7	55.1	68.5	97.3	48.4	60.4	0.00	0.16	70.7	68.5	69.7	72.0	69.9	70.9	76.3	66.9	71.5	76.8	66.4	71.4			
29	12.8	4.4	148.6	9.5	79.0	63.1	71.9	96.1	63.7	66.3	0.00	0.08	71.2	69.7	70.5	72.4	71.2	71.8	74.2	69.9	72.2	74.9	69.6	72.3			
30	12.4	3.8	160.0	22.1	87.5	64.2	76.2	96.1	52.7	68.3	0.00	0.19	73.5	70.3	71.9	74.1	71.8	72.8	80.6	70.4	75.2	81.6	70.2	75.6			
31	14.6	5.1	163.9	22.0	87.7	69.0	77.2	95.4	56.8	70.8	0.00	0.19	75.0	72.1	73.5	75.2	73.2	74.1	82.8	73.2	77.4	83.8	73.1	77.6			
TOT				665.9							5.15	5.48															
AVG		3.9	183.5	21.5	84.3	62.9	73.1	96.1	49.2	65.4		0.18	76.3	73.5	74.9	76.6	74.8	75.7	83.8	72.7	77.7	83.2	72.2	77.2			
MAX	32.5				93.0			97.3					80.3			80.1			95.3			93.4					
MIN						51.4			31.7					68.2				69.8			65.2			64.0			

Illinois Climate Network (ICN)
 September 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND AVG °	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP °F	MIN AIR TEMP °F	AVG AIR TEMP °F	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT °F	TOTAL PRECIP IN	TOTAL EVAP IN	MAX 4" SOIL TEMP °F	MIN 4" SOIL TEMP °F	AVG 4" SOIL TEMP °F	MAX 8" SOIL TEMP °F	MIN 8" SOIL TEMP °F	AVG 8" SOIL TEMP °F	MAX 4" SOIL TEMP °F	MIN 4" SOIL TEMP °F	AVG 4" SOIL TEMP °F	MAX 2" SOIL TEMP °F	MIN 2" SOIL TEMP °F	AVG 2" SOIL TEMP °F
													UNDER SOD	UNDER SOD	UNDER SOD	UNDER SOD	UNDER SOD	UNDER SOD	UNDER SOD	UNDER SOD	UNDER SOD	UNDER SOD	UNDER SOD	UNDER SOD
1	16.2	4.4	167.8	22.7	89.3	68.7	78.0	95.7	47.9	69.9	0.00	0.20	78.6	72.8	75.1	76.1	74.0	74.9	85.2	73.8	78.4	85.7	73.6	78.6
2	12.9	3.2	158.0	23.1	90.2	66.1	77.6	96.6	43.7	69.5	0.00	0.20	80.3	72.6	76.3	76.6	73.9	75.2	90.6	72.2	80.7	90.9	72.3	80.7
3	12.2	3.1	167.8	23.6	91.7	67.3	78.4	96.5	41.9	69.8	0.00	0.21	81.0	73.7	77.1	77.1	74.4	75.7	92.2	74.5	82.6	92.2	74.4	82.5
4	12.3	2.2	159.9	23.6	92.3	66.5	78.7	96.6	42.3	70.3	0.00	0.21	81.8	74.2	77.8	77.6	74.8	76.1	93.7	75.6	83.9	93.6	75.6	83.7
5	10.9	2.2	151.8	23.9	93.3	66.8	78.7	96.6	39.8	69.4	0.00	0.21	82.0	74.7	78.1	77.8	75.1	76.4	94.2	76.2	84.4	94.0	76.4	84.2
6	12.4	3.4	156.3	23.4	93.3	65.7	79.0	96.6	35.6	68.5	0.00	0.21	81.9	74.9	78.2	77.8	75.3	76.5	94.0	76.5	84.6	93.7	76.7	84.4
7	18.1	4.8	155.1	17.5	88.5	68.0	77.8	96.1	56.0	71.0	0.00	0.15	79.8	75.2	77.5	77.1	75.5	76.4	89.4	77.3	82.8	89.3	77.5	82.7
8	22.5	6.5	140.7	14.4	89.3	69.5	75.5	96.3	51.5	70.4	1.49	0.13	78.7	75.0	76.6	76.5	75.4	76.0	87.4	76.3	80.1	87.7	75.9	79.9
9	12.0	2.6	174.7	10.5	81.9	65.2	72.7	96.7	56.0	68.5	0.45	0.08	78.5	74.4	75.9	76.4	75.2	75.7	81.9	73.1	76.8	83.0	72.3	76.7
10	22.2	2.6	161.3	17.4	83.2	62.4	71.4	97.1	55.0	65.3	0.00	0.11	79.0	72.3	75.5	76.2	74.3	75.3	83.3	69.1	75.6	85.0	68.6	75.7
11	21.2	7.0	243.5	12.2	75.0	57.4	65.9	95.7	49.9	58.4	0.40	0.10	75.2	70.7	73.3	75.4	73.2	74.2	76.6	65.1	71.4	77.8	63.9	71.1
12	19.5	7.1	306.7	16.4	67.9	48.2	57.6	96.1	41.1	48.3	0.00	0.12	71.3	66.5	69.2	73.2	70.2	71.5	70.6	60.3	64.7	71.4	59.3	64.4
13	12.3	3.3	202.8	24.3	74.0	44.8	59.1	97.1	30.6	47.9	0.00	0.19	72.6	63.8	68.0	70.7	68.4	69.6	76.2	55.9	65.5	77.0	55.3	65.3
14	21.5	7.2	158.2	21.6	78.2	51.2	64.7	94.6	45.2	54.5	0.00	0.17	71.6	65.4	68.4	70.5	68.6	69.6	77.5	59.7	68.0	76.4	59.1	67.1
15	19.5	6.0	150.2	23.3	80.5	53.3	66.7	95.7	38.2	56.2	0.00	0.19	72.7	65.9	69.2	70.7	68.7	69.7	80.7	62.1	70.8	80.0	61.1	69.8
16	17.2	5.9	151.2	22.6	83.7	53.7	69.3	96.9	42.0	59.5	0.00	0.19	73.4	66.0	69.6	70.9	68.5	69.7	82.7	63.1	72.3	82.3	62.2	71.6
17	21.0	8.0	162.7	20.7	86.0	62.9	74.2	92.8	50.3	64.6	0.00	0.19	74.6	68.6	71.4	71.9	69.7	70.7	84.6	68.1	75.5	84.5	67.6	75.0
18	18.2	7.2	178.5	19.1	89.8	68.1	78.0	89.3	48.7	68.2	0.00	0.18	76.7	70.6	73.4	73.3	71.0	72.0	87.5	71.3	78.4	87.9	71.0	78.2
19	27.0	8.5	243.2	22.4	77.3	55.1	67.1	93.5	44.0	57.1	0.14	0.17	75.2	69.6	72.7	73.0	71.2	72.2	81.5	67.9	74.9	81.1	66.4	74.1
20	15.8	3.1	89.0	18.8	73.7	49.0	60.8	96.3	42.3	52.2	0.00	0.14	72.2	66.3	69.1	71.2	69.2	70.0	78.5	61.8	69.4	78.2	61.0	68.6
21	10.3	2.0	143.8	22.4	78.6	48.3	62.2	97.4	32.1	52.6	0.00	0.17	72.7	65.0	68.6	70.1	67.9	69.0	82.2	61.2	70.7	81.8	60.3	70.0
22	10.4	1.4	160.1	21.1	85.1	49.2	64.6	97.4	30.4	54.5	0.00	0.16	72.5	65.0	68.6	69.9	67.6	68.8	82.6	62.4	71.9	82.1	61.9	71.4
23	11.7	1.9	135.5	21.7	84.4	51.4	66.2	97.3	30.8	55.1	0.00	0.17	73.2	65.5	69.1	70.0	67.7	68.9	84.5	63.9	73.2	84.0	55.3	72.9
24	13.0	2.1	114.8	20.3	84.1	52.7	66.9	97.2	35.6	56.9	0.00	0.16	73.2	65.9	69.3	70.1	67.9	69.0	84.0	65.0	73.6	83.9	65.0	73.3
25	16.9	4.1	117.9	21.1	85.1	52.8	67.9	96.2	27.1	54.7	0.00	0.18	72.1	65.9	68.9	69.6	67.8	68.7	82.6	64.9	73.3	80.7	65.0	72.7
26	12.1	3.4	61.7	9.1	74.0	55.4	65.1	95.7	63.8	59.3	0.00	0.07	69.6	66.6	68.1	69.0	67.9	68.5	74.6	67.0	70.8	74.0	67.6	70.7
27	10.5	2.7	108.1	8.3	76.0	62.4	68.7	95.8	70.3	64.4	0.00	0.06	70.8	67.8	69.1	69.8	68.5	69.1	76.0	68.5	71.5	75.4	68.8	71.3
28	10.7	2.6	157.8	15.6	82.8	59.1	70.3	97.1	47.9	64.1	0.13	0.12	72.4	67.4	69.9	70.6	68.6	69.6	80.2	67.1	73.3	78.8	67.7	72.9
29	20.3	4.0	110.4	4.8	73.1	61.4	68.7	96.5	76.2	65.5	0.00	0.04	71.6	69.5	70.4	70.7	70.0	70.4	74.1	68.3	71.8	74.3	68.8	72.0
30	23.2	9.3	38.8	17.6	73.1	53.0	61.9	85.4	34.9	49.4	0.00	0.14	70.0	65.9	68.3	70.4	68.3	69.2	75.6	64.2	68.8	73.4	64.0	68.4
TOT				563.4							2.60	4.61												
AVG		4.4	154.3	18.8	82.5	58.5	69.8	95.6	45.0	61.2		0.15	75.2	69.3	72.1	73.0	71.0	72.0	82.8	67.8	74.7	82.7	67.2	74.3
MAX	27.0			93.3				97.4					82.0			77.8			94.2		94.0			
MIN						44.8			27.1					63.8			67.6			55.9			55.3	

Illinois Climate Network (ICN)
 October 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4" SOIL TEMP oF	4" SOIL TEMP oF	4" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF	8" SOIL TEMP oF
1	23.3	10.4	25.5	19.0	69.2	46.7	56.9	88.5	40.8	44.4	0.00	0.15	67.2	63.5	65.2	68.3	66.3	67.0	73.1	59.2	65.5	70.7	60.2	64.8
2	24.2	10.7	17.8	16.2	69.1	46.5	57.0	82.5	45.6	44.1	0.00	0.13	65.6	61.9	63.5	66.4	64.9	65.5	72.0	58.8	64.3	69.7	59.5	63.7
3	22.4	9.1	29.2	5.2	58.0	49.5	53.1	92.0	56.5	44.6	0.00	0.05	62.9	61.3	61.9	65.4	64.0	64.5	63.0	59.8	61.3	62.7	60.1	61.3
4	16.5	8.3	187.0	8.5	67.3	49.6	55.6	92.5	60.9	50.1	0.00	0.06	63.3	60.6	61.7	64.2	63.4	63.8	66.6	58.6	61.7	65.6	59.1	61.5
5	14.7	6.1	338.8	15.1	71.5	52.0	61.7	94.5	64.7	55.8	0.00	0.11	65.7	60.8	63.1	65.1	63.4	64.2	72.2	58.6	65.0	70.2	59.1	64.4
6	18.1	5.0	234.9	17.7	78.3	57.7	66.5	94.1	51.5	58.5	0.00	0.14	68.0	62.8	65.2	66.3	64.5	65.3	77.8	62.4	69.2	75.1	62.5	68.1
7	12.8	2.6	197.8	10.1	75.9	57.5	64.7	95.8	54.1	58.2	0.00	0.07	67.9	64.1	65.6	66.7	65.2	65.9	74.3	64.8	68.5	73.1	64.9	68.0
8	15.7	2.9	206.4	16.6	82.8	51.5	66.6	97.3	42.8	58.4	0.00	0.13	68.9	63.1	65.9	67.0	65.0	66.0	78.3	62.0	69.6	76.0	62.6	68.9
9	18.6	8.6	318.9	5.2	68.5	51.6	61.6	87.0	58.7	52.1	0.00	0.06	66.2	63.5	65.1	66.7	65.3	66.0	69.1	62.9	66.6	68.5	63.0	66.4
10	12.1	2.6	147.5	19.1	69.9	43.4	54.6	96.6	39.3	45.7	0.00	0.10	66.2	60.8	63.2	65.4	63.7	64.6	74.9	57.8	65.2	73.0	58.9	64.8
11	22.5	6.9	167.0	18.2	78.4	43.5	61.8	97.1	35.4	50.1	0.00	0.15	65.2	59.5	62.4	64.5	62.6	63.6	74.2	57.1	65.2	72.1	58.0	64.8
12	23.9	6.0	241.6	12.4	78.0	54.9	65.7	84.4	30.2	50.2	0.00	0.11	65.6	62.0	63.6	64.8	63.6	64.2	72.3	62.0	66.3	70.5	62.0	65.6
13	22.6	8.5	279.4	18.7	72.5	43.9	59.3	86.4	27.1	40.1	0.00	0.16	65.1	60.5	62.4	64.1	62.7	63.3	73.2	58.3	64.6	70.7	59.1	63.8
14	12.4	2.1	214.9	18.2	74.7	39.4	55.5	96.2	26.5	41.9	0.00	0.13	64.5	58.1	61.0	63.2	61.2	62.2	73.9	55.8	63.9	71.7	56.7	63.3
15	23.0	6.8	262.7	16.5	79.6	39.7	60.4	96.8	23.8	40.1	0.00	0.17	63.9	57.7	60.8	62.6	60.7	61.8	73.0	56.0	64.0	70.8	56.9	63.4
16	23.1	8.0	316.7	18.4	64.1	37.8	52.0	79.1	21.9	30.1	0.00	0.15	62.2	57.2	59.7	62.3	60.4	61.2	70.0	56.0	62.1	67.8	56.8	61.5
17	21.0	6.8	196.8	18.2	55.9	30.3	43.2	91.7	23.9	26.5	0.00	0.12	59.4	54.8	56.9	60.4	58.7	59.4	66.1	52.0	57.8	64.3	53.3	57.7
18	15.7	3.6	132.3	17.8	62.0	27.9	44.6	97.1	24.8	29.7	0.00	0.12	58.3	52.5	55.3	59.0	57.2	58.1	65.9	49.0	56.6	64.3	50.5	56.5
19	22.5	8.4	166.1	16.7	73.7	37.2	56.1	89.0	24.2	34.9	0.00	0.15	58.7	53.3	56.0	59.4	57.1	58.2	66.8	51.2	58.4	64.7	52.2	57.9
20	20.8	8.9	169.9	16.4	77.8	46.7	62.0	69.1	25.0	40.3	0.00	0.16	60.3	55.1	57.6	60.3	58.3	59.3	69.1	54.0	60.9	66.8	54.5	60.1
21	14.8	6.5	177.3	15.4	84.4	51.2	67.0	85.6	31.0	50.5	0.00	0.14	63.1	57.2	59.9	61.8	59.4	60.5	73.0	57.6	64.3	70.6	57.7	63.4
22	15.2	4.7	171.7	15.1	83.9	54.8	68.1	93.9	34.7	55.7	0.00	0.13	65.1	59.1	61.9	63.4	61.0	62.1	75.1	59.9	66.7	73.0	60.0	65.7
23	23.4	8.0	146.0	4.9	72.5	52.8	64.8	94.9	65.7	58.2	0.01	0.06	62.7	60.1	61.5	63.3	62.3	62.7	66.7	61.4	64.1	66.2	50.5	63.9
24	24.9	11.0	260.7	6.7	71.9	48.4	63.1	91.6	54.5	54.9	0.00	0.08	63.8	60.7	62.6	63.8	63.2	63.5	67.8	60.5	64.6	67.2	60.5	64.3
25	16.5	4.2	68.0	12.0	62.3	40.6	50.8	92.5	43.2	41.4	0.00	0.08	61.3	57.4	59.5	63.2	61.7	62.4	65.6	55.9	59.9	64.8	56.5	60.0
26	17.9	6.0	66.4	15.5	69.9	38.3	56.1	92.8	38.3	41.8	0.00	0.12	60.6	55.1	58.0	61.8	59.7	60.8	67.4	51.5	59.4	65.8	52.9	59.3
27	20.3	6.2	110.5	1.7	60.1	53.7	57.5	96.4	91.6	55.9	0.60	0.01	60.2	58.9	59.5	62.0	61.3	61.5	59.5	60.3	61.4	59.6	60.4	
28	20.3	5.1	242.5	4.0	60.3	42.5	55.8	96.7	65.2	51.4	0.02	0.03	61.2	57.5	59.9	62.5	61.8	62.2	62.1	52.9	59.1	62.2	53.7	59.3
29	22.8	6.9	258.7	16.0	56.8	34.3	46.5	95.4	33.9	33.2	0.00	0.11	58.9	54.3	56.7	61.9	59.1	60.3	59.7	47.9	53.2	59.3	49.2	53.6
30	19.1	4.0	160.7	12.9	58.8	30.7	47.2	98.2	48.8	38.7	0.00	0.09	57.0	51.6	54.5	59.1	57.3	58.3	58.9	44.5	51.8	58.4	45.8	52.2
31	20.9	7.8	184.8	3.1	62.2	47.9	54.4	96.3	70.5	50.4	0.30	0.03	56.7	54.5	55.6	59.5	58.6	58.9	56.9	51.8	54.3	56.8	51.8	54.3
TOT				411.4							0.93	3.32												
AVG		6.5	183.8	13.3	70.0	45.2	57.8	91.7	43.7	46.1		0.11	63.1	58.7	60.8	63.4	61.7	62.5	69.0	56.8	62.4	67.5	57.0	62.0
MAX	24.9				84.4			98.2					68.9			68.3			78.3		76.0			
MIN						27.9			21.9					51.6				57.1		44.5			45.8	

Illinois Climate Network (ICN)
 November 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4" SOIL TEMP UNDER oF	4" SOIL TEMP UNDER oF	4" SOIL TEMP UNDER oF	8" SOIL TEMP UNDER oF	8" SOIL TEMP UNDER oF	8" SOIL TEMP UNDER oF	2" SOIL TEMP UNDER oF	2" SOIL TEMP UNDER oF	2" SOIL TEMP UNDER oF			
1	10.2	3.0	192.4	14.3	70.6	43.7	54.4	97.5	34.0	47.3	0.00	0.10	60.1	54.2	56.8	60.1	58.6	59.4	65.8	50.1	56.6	64.8	50.4	56.3
2	10.7	3.3	160.3	8.6	62.0	37.3	50.4	97.8	74.3	48.7	0.00	0.05	58.5	53.3	56.0	59.8	58.3	59.1	62.1	47.9	54.8	61.8	48.7	55.1
3	9.3	3.5	169.1	3.7	61.4	51.6	56.2	97.6	89.5	55.0	0.00	0.02	59.0	56.9	58.0	60.6	59.7	60.1	60.4	55.7	58.1	60.2	55.9	58.1
4	11.8	3.5	147.7	4.2	69.1	50.4	58.6	97.7	78.2	56.6	0.00	0.03	60.5	57.6	58.9	61.4	60.6	60.9	62.9	56.0	59.0	62.6	56.3	59.0
5	23.0	8.5	166.4	2.6	67.9	55.5	62.9	97.0	79.7	60.9	0.65	0.02	61.2	58.2	59.6	62.8	61.2	61.7	62.3	56.5	59.9	62.5	56.6	60.0
6	24.0	7.7	281.3	12.2	66.2	41.8	55.0	93.6	42.7	46.1	0.03	0.08	61.6	57.1	60.2	63.2	61.1	62.4	63.4	52.7	59.5	63.5	52.5	59.4
7	15.1	3.9	300.5	13.7	59.1	35.3	45.9	96.8	31.4	36.1	0.00	0.09	58.0	53.5	55.8	61.2	58.6	59.8	59.6	47.1	52.5	59.3	47.2	52.3
8	11.5	2.3	194.1	14.6	57.7	30.0	41.7	97.5	31.5	32.0	0.00	0.09	55.6	50.5	52.9	58.6	56.6	57.4	58.7	42.3	49.3	57.8	42.7	49.1
9	9.1	1.4	244.6	14.2	59.8	28.5	42.0	97.8	35.6	32.9	0.01	0.08	54.4	48.7	51.3	57.4	55.5	56.5	57.8	40.8	48.3	57.1	41.2	48.1
10	12.2	4.1	190.0	14.2	64.0	28.5	46.7	98.6	31.4	34.7	0.01	0.08	53.6	47.9	50.8	57.4	55.3	56.5	57.3	40.6	48.5	57.5	40.9	48.4
11	32.8	12.7	167.8	6.3	68.3	43.4	58.3	93.2	39.6	50.4	0.26	0.07	56.2	50.9	53.3	59.4	57.3	58.0	57.8	47.6	53.3	58.9	47.0	53.4
12	30.9	12.8	277.2	13.2	60.1	44.9	51.9	71.9	34.7	35.3	0.00	0.12	55.8	52.3	54.0	59.5	58.8	59.1	57.8	46.4	51.7	58.5	45.1	51.0
13	26.2	6.4	261.4	14.0	58.0	31.8	44.4	86.4	24.3	27.7	0.00	0.10	53.0	49.4	51.2	58.8	56.6	57.4	54.5	40.7	47.0	53.7	39.4	45.8
14	15.8	4.6	169.0	13.7	70.0	28.3	48.5	97.0	23.2	32.4	0.00	0.11	53.1	47.3	50.1	58.2	55.0	56.8	57.6	39.2	47.5	57.5	37.8	46.6
15	23.7	7.6	176.0	11.0	66.1	38.6	53.3	81.4	28.0	35.4	0.00	0.11	52.4	48.3	50.6	58.5	57.4	58.0	56.3	42.4	49.5	56.0	41.0	48.7
16	19.1	8.7	145.9	1.4	53.8	48.0	51.2	95.2	52.6	44.9	0.80	0.02	52.1	51.4	51.7	59.1	58.5	58.8	51.3	50.3	50.8	51.2	49.5	50.3
17	27.5	13.7	138.8	1.8	68.8	52.2	61.2	96.4	71.7	57.6	1.71	0.03	57.6	52.1	54.4	61.4	59.0	60.1	59.6	51.3	55.8	60.1	51.2	56.4
18	41.7	14.1	194.4	8.5	72.4	47.6	57.8	93.6	47.3	48.6	0.36	0.08	58.0	53.7	56.5	62.3	61.3	62.0	59.8	49.0	56.2	60.3	47.6	55.8
19	28.1	8.5	264.4	12.4	56.4	32.2	47.2	84.6	22.5	31.3	0.00	0.09	54.1	49.8	52.6	62.0	59.8	60.8	53.5	42.4	48.5	53.6	40.5	47.5
20	23.5	6.2	157.4	11.5	59.4	28.2	44.0	94.2	19.7	26.1	0.00	0.10	51.4	47.2	49.5	59.8	51.0	55.2	51.0	38.4	44.4	51.8	36.9	43.8
21	39.2	12.6	244.3	3.1	48.0	26.0	37.5	98.5	48.1	30.2	0.47	0.03	49.8	44.4	47.9	51.5	48.3	50.3	45.4	37.0	42.8	44.7	35.4	41.6
22	16.4	6.1	193.4	12.7	41.1	20.4	31.4	91.9	38.6	19.4	0.00	0.07	45.6	41.6	43.5	48.4	45.7	46.7	42.7	34.6	37.2	43.1	33.1	36.0
23	14.5	4.3	217.9	12.3	61.0	28.6	42.0	93.9	33.7	30.2	0.00	0.08	48.1	41.9	44.6	48.0	45.2	46.5	50.0	35.1	40.8	50.6	33.1	40.0
24	18.1	5.5	138.4	11.0	63.7	30.5	45.6	100.5	32.5	35.9	0.00	0.08	48.6	43.0	45.7	48.4	45.7	47.1	51.5	36.7	43.1	52.3	35.6	42.6
25	26.7	11.6	160.8	7.2	60.3	41.6	52.0	75.2	47.0	38.8	0.00	0.09	48.6	44.9	46.9	48.9	46.9	47.9	49.3	39.4	44.8	49.9	38.5	44.7
26	33.5	16.4	175.0	8.5	66.0	56.9	61.1	79.2	65.1	52.4	0.00	0.09	52.6	48.6	50.8	51.6	48.9	50.2	56.6	48.3	52.3	57.1	48.4	52.5
27	25.1	11.8	175.2	1.0	65.1	42.4	52.1	99.2	66.6	49.7	1.60	0.02	53.4	49.3	51.8	52.5	50.5	51.7	55.0	47.2	52.1	55.6	46.3	51.7
28	20.6	10.7	106.3	1.1	42.7	38.7	40.4	98.8	91.9	39.3	0.14	0.01	49.3	46.8	47.7	50.5	48.4	49.2	47.2	43.5	44.5	46.3	42.8	43.7
29	16.0	7.1	46.8	1.5	43.3	40.1	41.7	95.6	82.8	39.6	0.02	0.01	47.0	46.4	46.7	48.5	48.0	48.2	44.6	42.8	43.7	44.3	42.2	43.2
30	10.1	4.3	107.8	2.0	48.4	39.8	44.2	100.7	91.1	43.8	0.15	0.01	48.1	46.4	47.2	48.8	47.8	48.3	47.0	43.4	45.2	47.2	42.8	45.1
TOT				256.5							6.20	1.97												
AVG		7.6	185.5	8.6	60.4	38.8	49.3	93.3	49.6	40.6		0.07	53.9	49.8	51.9	56.6	54.5	55.5	55.3	44.8	49.9	55.3	44.2	49.5
MAX	41.7				72.4			100.7					61.6			63.2			65.8		64.8			
MIN						20.4			19.7					41.6				45.2		34.6			33.1	

Illinois Climate Network (ICN)
 December 2015
 Monthly Summary For Belleville

DAY	MAX WIND SPEED MPH	AVG WIND SPEED MPH	DIR WIND o	TOTAL SOLAR RAD MJ/M*M	MAX AIR TEMP oF	MIN AIR TEMP oF	AVG AIR TEMP oF	MAX REL HUM %	MIN REL HUM %	AVG DEW POINT oF	TOTAL PRECIP IN	TOTAL EVAP IN	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG	MAX	MIN	AVG
													4" SOIL TEMP UNDER oF	4" SOIL TEMP UNDER oF	4" SOIL TEMP UNDER oF	8" SOIL TEMP UNDER oF	8" SOIL TEMP UNDER oF	8" SOIL TEMP UNDER oF	4" SOIL TEMP UNDER oF	4" SOIL TEMP UNDER oF	4" SOIL TEMP UNDER oF	2" SOIL TEMP UNDER oF	2" SOIL TEMP UNDER oF	2" SOIL TEMP UNDER oF			
1	21.2	7.6	214.1	9.4	50.0	35.9	43.6	99.5	52.5	37.7	0.00	0.05	49.1	45.9	47.6	49.1	48.0	48.6	50.5	41.0	45.6	51.2	39.4	45.0			
2	23.9	8.7	276.8	6.4	45.6	30.6	39.6	97.1	59.1	33.6	0.01	0.04	46.6	44.6	45.6	48.0	46.9	47.3	45.6	38.8	41.8	46.2	37.2	41.0			
3	11.6	2.5	201.0	7.0	45.0	27.7	34.0	100.8	66.2	31.5	0.01	0.04	45.5	41.8	43.5	46.9	44.9	45.8	45.5	36.0	39.1	46.3	34.9	38.2			
4	11.7	3.0	136.0	11.9	51.2	25.0	36.7	101.1	51.3	32.1	0.01	0.06	45.0	40.0	42.3	45.4	43.4	44.5	47.3	35.0	39.3	48.0	34.0	38.5			
5	11.3	3.4	102.7	10.7	51.2	27.4	36.5	101.2	58.5	33.9	0.01	0.05	44.4	39.8	42.0	44.7	42.9	44.0	46.8	35.1	39.4	47.2	34.2	38.6			
6	11.8	2.6	206.4	6.6	54.2	27.2	41.7	101.5	53.9	36.9	0.00	0.04	44.4	40.1	42.6	45.2	43.0	44.1	45.4	35.5	40.6	45.8	34.5	40.1			
7	9.9	2.8	204.4	3.7	48.8	32.6	41.0	100.7	75.7	38.7	0.00	0.02	45.3	42.4	43.8	45.7	44.4	45.1	45.7	38.0	41.7	46.0	37.0	41.2			
8	19.0	8.1	166.3	9.3	62.5	32.5	48.9	100.8	48.9	42.9	0.01	0.07	46.3	41.1	43.8	46.1	43.5	44.8	49.5	35.9	42.4	50.6	35.1	42.3			
9	17.5	5.5	220.5	9.4	62.9	39.9	51.1	97.3	47.0	44.0	0.00	0.06	48.6	44.7	46.5	47.7	45.8	46.6	53.6	42.4	47.2	55.0	41.6	46.9			
10	30.3	7.6	194.3	6.0	66.7	39.3	51.5	98.2	39.4	42.8	0.00	0.05	47.9	44.5	45.9	47.4	45.7	46.5	50.0	41.7	45.0	51.3	41.1	44.7			
11	18.7	5.4	151.6	3.2	63.4	33.6	51.3	101.5	87.9	50.2	0.04	0.02	48.9	43.7	46.3	48.3	45.3	46.6	51.5	39.4	45.8	52.3	38.5	46.0			
12	19.1	8.6	161.8	5.6	72.4	58.6	65.9	100.6	75.6	62.8	0.01	0.05	53.5	48.1	50.9	51.7	48.1	49.5	59.2	48.5	54.4	60.4	48.3	54.9			
13	23.4	12.7	156.2	0.8	68.8	58.0	64.9	97.4	75.9	60.8	0.44	0.03	55.4	53.5	54.3	53.3	51.6	52.4	58.3	56.8	57.5	59.0	57.1	58.1			
14	34.3	12.8	223.9	5.4	58.4	46.5	51.0	96.5	61.5	45.5	0.26	0.05	55.3	50.8	52.9	53.5	51.3	52.5	57.6	48.3	52.3	57.6	47.7	51.8			
15	14.8	6.0	174.8	2.3	50.4	44.0	46.9	97.9	82.3	43.8	0.00	0.02	50.8	48.6	50.1	51.3	49.9	50.6	49.6	44.4	47.6	49.8	43.5	47.2			
16	25.0	9.5	225.9	9.5	63.1	35.3	49.8	95.9	31.8	40.2	0.09	0.08	52.0	47.3	49.5	51.0	49.4	50.0	55.3	41.4	47.8	56.1	39.6	47.5			
17	18.7	8.8	312.7	3.3	37.9	31.4	35.5	83.6	62.6	27.0	0.00	0.03	47.3	44.2	45.3	49.4	46.4	47.4	41.4	37.3	39.2	41.0	36.1	38.4			
18	22.5	7.7	255.3	11.0	42.3	29.8	35.2	83.9	31.9	21.1	0.00	0.07	44.7	41.7	43.2	46.5	44.9	45.6	43.4	35.6	38.2	43.6	34.7	37.4			
19	13.2	4.1	188.2	11.1	45.8	24.3	36.2	93.3	38.7	26.1	0.00	0.06	43.6	39.5	41.5	44.9	42.9	43.9	42.8	34.1	37.1	43.2	33.1	36.3			
20	29.7	14.5	170.2	6.0	54.7	38.6	47.4	80.6	34.9	33.0	0.01	0.09	44.2	41.3	42.7	45.1	43.6	44.2	43.5	36.1	40.0	43.9	35.1	39.7			
21	28.5	14.3	210.3	5.5	64.5	46.6	54.1	96.6	68.9	50.9	0.25	0.04	49.3	44.2	46.9	48.3	45.1	46.6	53.5	43.0	48.3	54.6	42.6	48.7			
22	20.6	7.3	200.1	5.4	53.4	41.4	46.7	101.0	76.8	43.5	0.01	0.03	48.1	46.6	47.4	48.2	47.2	47.7	49.3	44.5	46.7	49.7	44.1	46.6			
23	35.8	14.6	194.8	1.7	64.5	45.3	58.4	101.1	62.0	54.8	1.50	0.03	52.6	47.9	51.1	51.3	47.9	49.9	53.9	47.9	51.9	54.6	33.1	52.3			
24	15.8	4.2	186.4	6.3	53.5	34.2	45.5	100.3	66.7	41.0	0.00	0.04	50.2	45.6	47.8	50.6	47.6	48.7	49.2	40.6	45.6	50.0	39.3	45.2			
25	16.6	7.4	117.2	10.1	52.8	40.8	47.1	90.0	60.9	40.4	0.00	0.06	49.4	46.2	47.6	48.7	47.6	48.2	52.5	42.6	46.8	53.6	41.6	46.4			
26	27.7	6.6	140.5	0.8	60.5	46.5	50.7	101.4	77.4	49.8	1.83	0.01	50.1	46.6	48.1	49.4	47.6	48.1	50.8	44.4	47.5	51.3	43.8	47.7			
27	35.1	15.2	132.5	1.0	52.3	40.4	43.2	98.1	88.0	41.5	1.21	0.01	50.1	44.8	47.1	49.5	46.6	48.1	50.5	42.7	45.7	50.6	42.1	45.1			
28	33.9	12.5	124.0	1.5	52.4	39.0	44.2	98.7	72.9	42.0	2.29	0.02	45.9	43.4	44.5	46.6	45.2	45.8	46.3	42.1	43.7	46.6	41.7	43.6			
29	21.9	6.3	269.0	2.2	39.1	32.6	35.0	93.4	72.8	29.8	0.00	0.02	44.7	41.6	42.9	46.1	44.1	44.9	42.7	37.8	39.7	42.4	37.0	39.1			
30	13.6	4.8	301.1	2.5	36.5	33.3	34.5	88.9	72.0	29.4	0.00	0.02	42.1	40.9	41.5	44.1	43.3	43.6	39.5	37.1	38.0	39.5	36.4	37.5			
31	18.0	7.1	279.4	2.8	34.6	29.2	32.8	92.7	68.8	27.0	0.00	0.02	41.0	38.7	40.2	43.3	41.9	42.6	38.1	35.0	36.3	38.2	34.2	35.7			
TOT				178.4							7.95	1.29															
AVG		7.8	196.7	5.8	53.5	37.0	45.2	96.5	62.0	39.8		0.04	47.8	44.2	46.0	48.0	46.0	46.9	48.7	40.6	44.3	49.2	39.3	43.9			
MAX	35.8			72.4				101.5					55.4			53.5			59.2		60.4						
MIN						24.3			31.8					38.7			41.9			34.1			33.1				

KEY: M = missing data
E = estimated data

** For further information on the ICN contact:
Jennie Atkins
(217) 333-4966
Illinois State Water Survey
2204 Griffith Dr., Champaign, IL 61820-7495
jatkins@illinois.edu

*** 4" SOIL TEMP UNDER SOD was labeled 4" SOIL TEMP prior to May 2013
8" SOIL TEMP UNDER SOD was labeled 8" SOIL TEMP prior to May 2013
4" SOIL TEMP UNDER BARE SOIL was added to the tables in May 2013. For prior data, please contact Jennie Atkins.

If ICN data are used, the program and network should be referenced. Our suggested citation is
Water and Atmospheric Resources Monitoring Program. Illinois Climate Network. (2015). Illinois State Water Survey, 2204 Griffith Drive, Champaign, IL 61820-7495. <http://dx.doi.org/10.13012/J8MW2F2Q>.

textfile version (To download, right-click and choose "Save link as..." or "Save target as...")
choose another month/year