

Scepter Postemergence Tank-Mixes for Residual Weed Control in Liberty Link Soybean.

Trial ID: 16-1-MME40 Location: Belleville Res. Center Trial Year: 2016  
Investigator: Karla L. Gage, Ph.D.

**Trial Status:** F one-year/final  
**Initiation Date:** 5-31-16  
**Completion Date:** 7-27-16

**Trial Location**

**City:** Belleville **Country:** USA  
**State/Prov.:** Illinois IL  
**Postal Code:** 62221

**Upper Right:** 38.51714 -89.83969

**Latitude of LL Corner** °: 38.51648 N  
**Longitude of LL Corner** °: 89.83983 W  
**Altitude of LL Corner, Unit:** 435.00 FT  
**Angle y-axis to North** °: 0.00  
**GPS Precision:** G GPS for trial site

**Objectives:**

Demonstrate the use of Scepter applied postemergence for residual control of weeds in Liberty Link soybean.

**Contacts**

**Study Director:** Karla Gage, Ph.D. **Title:** Assistant Professor of Weed Science  
**Organization:** Southern Illinois University Carbondale  
**Address:** 1205 Lincoln Drive MC 4415 **Phone No.:** 618-453-7679  
**City+State/Prov:** Carbondale, IL  
**Postal Code:** 62901 **E-mail:** kgage@siu.edu  
**Country:** USA

**Crop Description**

**Crop 1:** GLXMA Glycine max Soybean  
**Variety:** P37T09L **BBCH Scale:** BSOY  
**Description:** LL  
**Planting Date:** 5-31-16  
**Planting Rate, Unit:** 140000 S/A **Planting Method:** SEEDED  
**Depth, Unit:** 1 IN  
**Row Spacing, Unit:** 30 IN

**Pest Description**

**Pest 1 Type:** W **Code:** PANDI **Panicum dichotomiflorum Michx.**  
**Common Name:** panicum, fall  
**Pest 2 Type:** W **Code:** AMBTR **Ambrosia trifida L.**  
**Common Name:** ragweed, giant  
**Pest 3 Type:** W **Code:** ABUTH **Abutilon theophrasti Medik.**  
**Common Name:** velvetleaf  
**Pest 4 Type:** W **Code:** AMATA **Amaranthus rudis Sauer**  
**Common Name:** waterhemp, common

**Site and Design**

**Treated Plot Width:** 7.5 FT **Total Plot Width:** 10 FT **Site Type:** FIELD  
**Treated Plot Length:** 30 FT **Total Plot Length:** 30 FT **Experimental Unit:** 1 PLOT  
**Replications:** 4 **Tillage Type:** REDTIL reduced-till  
**Untreated Arrangement:** INCLUDED single control randomized in each block **Study Design:** RACOB� Randomized Complete Block (RCB)

No.	Previous Crop	Year
1.	ZEAMD	2015

**Maintenance**

No.	Maintenance Product Name
1.	N 0 LB/A, P2O5 50 LB/A, K2O 150 LB/A

**Soil Description**

**Description Name:** 01\_2013  
**% OM:** 2.5 **Texture:** SIL silt loam  
**pH:** 6 **Soil Name:** Winfield  
**CEC:** 6

Scepter Postemergence Tank-Mixes for Residual Weed Control in Liberty Link Soybean.

Trial ID: 16-1-MME40 Location: Belleville Res. Center Trial Year: 2016  
 Investigator: Karla L. Gage, Ph.D.

**Additional Measured Elements**

Element	Quantity	Unit
P1	58	lb/A
K	286	lb/A

**Moisture and Weather Conditions**

Overall Moisture Conditions: NORMAL  
 Closest Weather Station: ICN - Belleville IL

Distance, Unit: 0.5 MI

No.	Date	Amount	Unit	Type	Type Description	Interval	Unit	Min Temp	Max Temp	Temp Unit
1.	4-29-16	1.94	IN	RAIN	rain	2	DAY			
2.	5-4-16	0.02	IN	RAIN	rain	1	DAY			
3.	5-6-16					7	DAY	44	87	F
4.	5-7-16	0.07	IN	RAIN	rain	1	DAY			
5.	5-9-16	2.12	IN	RAIN	rain	5	DAY			
6.	5-13-16					7	DAY	41	76	F
7.	5-16-16	1.06	IN	RAIN	rain	2	DAY			
8.	5-20-16					7	DAY	51	83	F
9.	5-20-16	0.06	IN	RAIN	rain	1	DAY			
10.	5-25-16	0.68	IN	RAIN	rain	3	DAY			
11.	5-27-16					7	DAY	62	88	F
12.	5-31-16	0.03	IN	RAIN	rain	2	DAY			
13.	6-3-16					7	DAY	55	89	F
14.	6-3-16	0.01	IN	RAIN	rain	1	DAY			
15.	6-4-16	0.72	IN	RAIN	rain	1	DAY			
16.	6-10-16					7	DAY	65	96	F
17.	6-13-16	0.03	IN	RAIN	rain	1	DAY			
18.	6-17-16					7	DAY	67	97	F
19.	6-21-16	0.01	IN	RAIN	rain	1	DAY			
20.	6-24-16					7	DAY	57	95	F
21.	6-25-16	0.02	IN	RAIN	rain	1	DAY			
22.	6-30-16	0.03	IN	RAIN	rain	1	DAY			
23.	7-1-16					7	DAY	60	91	F
24.	7-1-16	2.26	IN	RAIN	rain	4	DAY			
25.	7-6-16	0.32	IN	RAIN	rain	3	DAY			
26.	7-8-16					7	DAY	67	93	F
27.	7-13-16	0.49	IN	RAIN	rain	2	DAY			
28.	7-15-16					7	DAY	68	93	F
29.	7-17-16	0.02	IN	RAIN	rain	1	DAY			
30.	7-19-16	1.47	IN	RAIN	rain	2	DAY			
31.	7-25-16	0.1	IN	RAIN	rain	1	DAY			
32.	7-29-16					7	DAY	69	91	F
33.	7-31-16	0.52	IN	RAIN	rain	3	DAY			
34.	8-3-16	0.75	IN	RAIN	rain	1	DAY			

**Comment:**

Rainfall was recorded on station and provided by Illinois Climate Network.  
 Air temperature was recorded at Scott Air Force Base 2.5 miles north and provided by NOAA's National Centers for Environmental Information.  
 Air temperatures given are summarized as weekly high and low, detailed weather data is available on request.

Scepter Postemergence Tank-Mixes for Residual Weed Control in Liberty Link Soybean.

Trial ID: 16-1-MME40      Location: Belleville Res. Center      Trial Year: 2016  
Investigator: Karla L. Gage, Ph.D.**Application Description**

	<b>A</b>
<b>Application Date:</b>	6-15-16
<b>Appl. Start Time:</b>	10:50
<b>Appl. Stop Time:</b>	11:10
<b>Application Method:</b>	Spray
<b>Application Timing:</b>	2-3"W
<b>Application Placement:</b>	BROFOL
<b>Applied By:</b>	MCG
<b>Air Temperature, Unit:</b>	92 F
<b>% Relative Humidity:</b>	58
<b>Wind Velocity, Unit:</b>	5 MPH
<b>Wind Direction:</b>	W
<b>Dew Presence (Y/N):</b>	N
<b>Soil Temperature, Unit:</b>	80 F
<b>Soil Moisture:</b>	BELNOR
<b>% Cloud Cover:</b>	0
<b>Next Moisture Occurred On:</b>	6-30-16
<b>Time to Next Moisture, Unit:</b>	15 DAY

**Crop Stage At Each Application**

	<b>A</b>
<b>Crop 1 Code, BBCH Scale:</b>	GLXMA
<b>Stage Scale Used:</b>	DESC
<b>Stage Majority, Percent:</b>	V1
<b>Stage Minimum, Percent:</b>	V1
<b>Stage Maximum, Percent:</b>	V1
<b>Height, Unit:</b>	4 IN
<b>Height Minimum, Maximum:</b>	3 4

Scepter Postemergence Tank-Mixes for Residual Weed Control in Liberty Link Soybean.

Trial ID: 16-1-MME40 Location: Belleville Res. Center Trial Year: 2016  
Investigator: Karla L. Gage, Ph.D.**Pest Stage At Each Application**

	<b>A</b>
<b>Pest 1 Code, Type, Scale:</b>	PANDI W
<b>Stage Majority, Percent:</b>	3
<b>Stage Minimum, Percent:</b>	2
<b>Stage Maximum, Percent:</b>	4
<b>Height, Unit:</b>	2 IN
<b>Height Minimum, Maximum:</b>	0.5 3
<b>Density, Unit:</b>	6 FT2
<b>Pest 2 Code, Type, Scale:</b>	AMBTR W
<b>Stage Majority, Percent:</b>	2
<b>Stage Minimum, Percent:</b>	COTY
<b>Stage Maximum, Percent:</b>	4
<b>Height, Unit:</b>	2 IN
<b>Height Minimum, Maximum:</b>	0.75 3
<b>Density, Unit:</b>	2 FT2
<b>Pest 3 Code, Type, Scale:</b>	ABUTH W
<b>Stage Majority, Percent:</b>	3
<b>Stage Minimum, Percent:</b>	COTY
<b>Stage Maximum, Percent:</b>	3
<b>Height, Unit:</b>	2 IN
<b>Height Minimum, Maximum:</b>	0.5 2
<b>Density, Unit:</b>	10 FT2
<b>Pest 4 Code, Type, Scale:</b>	AMATA W
<b>Stage Majority, Percent:</b>	4
<b>Stage Minimum, Percent:</b>	COTY
<b>Stage Maximum, Percent:</b>	5
<b>Height, Unit:</b>	0.5 IN
<b>Height Minimum, Maximum:</b>	0.125 0.25
<b>Density, Unit:</b>	5 FT2

**Application Equipment**

	<b>A</b>
<b>Appl. Equipment:</b>	CO2 sprayer
<b>Equipment Type:</b>	BACSPR
<b>Operation Pressure, Unit:</b>	30 PSI
<b>Nozzle Type:</b>	XR
<b>Nozzle Size:</b>	8002
<b>Boom Length, Unit:</b>	7.5 FT
<b>Spray Volume, Unit:</b>	15 GPA

Scepter Postemergence Tank-Mixes for Residual Weed Control in Liberty Link Soybean.

Trial ID: 16-1-MME40 Location: Belleville Res. Center Trial Year: 2016  
 Investigator: Karla L. Gage, Ph.D.

Pest Code				GLXMA	GLXMA	GLXMA	GLXMA	
Crop Code				6-22-16	6-22-16	6-22-16	6-22-16	
Rating Date				Stunt	Chlorosis	Necrosis	Malform	
Rating Type				Percent	Percent	Percent	Percent	
Rating Unit				7 DA-A	7 DA-A	7 DA-A	7 DA-A	
Rating Timing								
Trt-Eval Interval								
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Other Rate	Other Rate	Growth Stage	Appl Code
1	NONTREATED							
2	LIBERTY 280 AMS	2.34 EC 100 SG		0.53 lb ai/a 1.02 % w/w	29 fl oz/a 8.5 lb/100 gal	2-3"W 2-3"W	A A	0 c 0 c 0 d 0 e
3	LIBERTY 280 SCEPTER AMS	2.34 EC 70 WG 100 SG		0.53 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 1.4 oz/a 8.5 lb/100 gal	2-3"W 2-3"W 2-3"W	A A A	8 b 5 b 5 b 3 de
4	LIBERTY 280 CLASSIC AMS	2.34 EC 25 WG 100 SG		0.53 lb ai/a 0.00516 lb ai/a 1.02 % w/w	29 fl oz/a 0.33 oz/a 8.5 lb/100 gal	2-3"W 2-3"W 2-3"W	A A A	8 b 6 b 1 cd 11 b
5	LIBERTY 280 DUAL II MAGNUM AMS	2.34 EC 7.64 EC 100 SG		0.53 lb ai/a 1.19 lb ai/a 1.02 % w/w	29 fl oz/a 20 fl oz/a 8.5 lb/100 gal	2-3"W 2-3"W 2-3"W	A A A	1 c 1 c 4 bc 2 de
6	LIBERTY 280 DUAL II MAGNUM SCEPTER AMS	2.34 EC 7.64 EC 70 WG 100 SG		0.53 lb ai/a 1.19 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 20 fl oz/a 1.4 oz/a 8.5 lb/100 gal	2-3"W 2-3"W 2-3"W 2-3"W	A A A A	14 a 1 c 5 b 3 d
7	LIBERTY 280 PREFIX AMS	2.34 EC 5.29 EC 100 SG		0.53 lb ai/a 1.45 lb ai/a 1.02 % w/w	29 fl oz/a 2.2 pt/a 8.5 lb/100 gal	2-3"W 2-3"W 2-3"W	A A A	1 c 8 b 14 a 16 a
8	LIBERTY 280 PREFIX SCEPTER AMS	2.34 EC 5.29 EC 70 WG 100 SG		0.53 lb ai/a 1.45 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 2.2 pt/a 1.4 oz/a 8.5 lb/100 gal	2-3"W 2-3"W 2-3"W 2-3"W	A A A A	10 b 11 a 11 a 7 c
LSD P=.05				2.8	2.9	3.1	2.8	
Standard Deviation				1.9	1.9	2.1	1.9	
CV				32.98	43.84	36.33	31.17	
Replicate F				1.626	1.516	0.265	0.710	
Replicate Prob(F)				0.2185	0.2445	0.8496	0.5588	
Treatment F				31.755	19.093	23.928	39.067	
Treatment Prob(F)				0.0001	0.0001	0.0001	0.0001	

Means followed by same letter or symbol do not significantly differ (P=.05, LSD)  
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

## Scepter Postemergence Tank-Mixes for Residual Weed Control in Liberty Link Soybean.

Trial ID: 16-1-MME40 Location: Belleville Res. Center Trial Year: 2016  
Investigator: Karla L. Gage, Ph.D.

Pest Code							GLXMA	GLXMA	GLXMA	PANDI	PANDI	PANDI
Crop Code							6-22-16	6-29-16	7-13-16	6-29-16	7-13-16	7-27-16
Rating Date							Injury	Injury	Injury	Control	Control	Control
Rating Type							Percent	Percent	Percent	Percent	Percent	Percent
Rating Unit							7 DA-A	14 DA-A	28 DA-A	14 DA-A	28 DA-A	42 DA-A
Rating Timing												
Trt-Eval Interval												
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Other Rate	Other Rate Unit	Growth Stage	Appl Code				
1	NONTREATED								0	0	0	0
2	LIBERTY 280 AMS	2.34 EC 100 SG		0.53 lb ai/a 1.02 % w/w	29 fl oz/a 8.5 lb/100 gal		2-3"W 2-3"W	A A	0 f	0 c	0 c	93 a 90 a
3	LIBERTY 280 SCEPTER AMS	2.34 EC 70 WG 100 SG		0.53 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 1.4 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	8 d	4 c	0 c	95 a 89 a 89 a
4	LIBERTY 280 CLASSIC AMS	2.34 EC 25 WG 100 SG		0.53 lb ai/a 0.00516 lb ai/a 1.02 % w/w	29 fl oz/a 0.33 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	11 c	4 c	0 c	93 a 89 a 89 a
5	LIBERTY 280 DUAL II MAGNUM AMS	2.34 EC 7.64 EC 100 SG		0.53 lb ai/a 1.19 lb ai/a 1.02 % w/w	29 fl oz/a 20 fl oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	4 e	3 c	0 c	93 a 92 a 93 a
6	LIBERTY 280 DUAL II MAGNUM SCEPTER AMS	2.34 EC 7.64 EC 70 WG 100 SG		0.53 lb ai/a 1.19 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 20 fl oz/a 1.4 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W 2-3"W	A A A A	15 b	13 a	3 b	91 a 88 a 85 a
7	LIBERTY 280 PREFIX AMS	2.34 EC 5.29 EC 100 SG		0.53 lb ai/a 1.45 lb ai/a 1.02 % w/w	29 fl oz/a 2.2 pt/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	16 b	8 b	0 c	95 a 91 a 94 a
8	LIBERTY 280 PREFIX SCEPTER AMS	2.34 EC 5.29 EC 70 WG 100 SG		0.53 lb ai/a 1.45 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 2.2 pt/a 1.4 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W 2-3"W	A A A A	20 a	15 a	5 a	93 a 85 a 86 a
LSD P=.05							2.5	4.0	1.6	5.5	6.9	7.1
Standard Deviation							1.7	2.7	1.1	3.7	4.7	4.8
CV							15.51	40.54	101.84	4.01	5.23	5.36
Replicate F							1.275	1.770	1.000	1.740	1.410	0.310
Replicate Prob(F)							0.3129	0.1888	0.4155	0.1948	0.2724	0.8178
Treatment F							74.031	16.805	13.000	0.483	1.061	1.902
Treatment Prob(F)							0.0001	0.0001	0.0001	0.8125	0.4210	0.1357

Means followed by same letter or symbol do not significantly differ (P=.05, LSD)  
Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

## Scepter Postemergence Tank-Mixes for Residual Weed Control in Liberty Link Soybean.

Trial ID: 16-1-MME40 Location: Belleville Res. Center Trial Year: 2016  
Investigator: Karla L. Gage, Ph.D.

Pest Code								AMBTR	AMBTR	AMBTR	ABUTH	ABUTH	ABUTH
Crop Code								6-29-16	7-13-16	7-27-16	6-29-16	7-13-16	7-27-16
Rating Date								Control	Control	Control	Control	Control	Control
Rating Type								Percent	Percent	Percent	Percent	Percent	Percent
Rating Unit								14 DA-A	28 DA-A	42 DA-A	14 DA-A	28 DA-A	42 DA-A
Rating Timing													
Trt-Eval Interval													
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Other Rate	Other Rate	Growth Stage	Appl Code					
1	NONTREATED								0	0	0	0	0
2	LIBERTY 280 AMS	2.34 EC 100 SG		0.53 lb ai/a 1.02 % w/w	29 fl oz/a 8.5 lb/100 gal		2-3"W 2-3"W	A A	96 a	93 a	90 a	94 a	94 a 85 a
3	LIBERTY 280 SCEPTER AMS	2.34 EC 70 WG 100 SG		0.53 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 1.4 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	94 a	93 a	87 a	94 a	91 a 84 a
4	LIBERTY 280 CLASSIC AMS	2.34 EC 25 WG 100 SG		0.53 lb ai/a 0.00516 lb ai/a 1.02 % w/w	29 fl oz/a 0.33 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	93 a	91 a	85 a	93 a	90 a 86 a
5	LIBERTY 280 DUAL II MAGNUM AMS	2.34 EC 7.64 EC 100 SG		0.53 lb ai/a 1.19 lb ai/a 1.02 % w/w	29 fl oz/a 20 fl oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	91 a	87 a	79 a	91 a	90 a 82 a
6	LIBERTY 280 DUAL II MAGNUM SCEPTER AMS	2.34 EC 7.64 EC 70 WG 100 SG		0.53 lb ai/a 1.19 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 20 fl oz/a 1.4 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W 2-3"W	A A A A	93 a	89 a	85 a	93 a	91 a 85 a
7	LIBERTY 280 PREFIX AMS	2.34 EC 5.29 EC 100 SG		0.53 lb ai/a 1.45 lb ai/a 1.02 % w/w	29 fl oz/a 2.2 pt/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	94 a	92 a	90 a	96 a	91 a 88 a
8	LIBERTY 280 PREFIX SCEPTER AMS	2.34 EC 5.29 EC 70 WG 100 SG		0.53 lb ai/a 1.45 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 2.2 pt/a 1.4 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W 2-3"W	A A A A	93 a	88 a	86 a	95 a	93 a 90 a
LSD P=.05								3.6	5.4	8.1	3.1	4.1	10.0
Standard Deviation								2.4	3.6	5.5	2.1	2.7	6.7
CV								2.61	4.03	6.39	2.23	2.99	7.83
Replicate F								5.020	3.670	3.510	6.205	7.937	6.182
Replicate Prob(F)								0.0106	0.0319	0.0366	0.0044	0.0014	0.0045
Treatment F								1.482	1.558	1.966	2.058	1.335	0.597
Treatment Prob(F)								0.2399	0.2162	0.1245	0.1100	0.2926	0.7291

Means followed by same letter or symbol do not significantly differ (P=.05, LSD)  
Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

## Scepter Postemergence Tank-Mixes for Residual Weed Control in Liberty Link Soybean.

Trial ID: 16-1-MME40 Location: Belleville Res. Center Trial Year: 2016  
Investigator: Karla L. Gage, Ph.D.

Pest Code									AMATA	AMATA	AMATA
Crop Code											
Rating Date									6-29-16	7-13-16	7-27-16
Rating Type									Control	Control	Control
Rating Unit									Percent	Percent	Percent
Rating Timing											
Trt-Eval Interval									14 DA-A	28 DA-A	42 DA-A
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Other Rate	Other Rate	Growth Stage	Appl Code			
1	NONTREATED								0	0	0
2	LIBERTY 280 AMS	2.34 EC 100 SG		0.53 lb ai/a 1.02 % w/w	29 fl oz/a 8.5 lb/100 gal		2-3"W 2-3"W	A A	89 a	82 c	81 c
3	LIBERTY 280 SCEPTER AMS	2.34 EC 70 WG 100 SG		0.53 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 1.4 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	93 a	85 bc	81 c
4	LIBERTY 280 CLASSIC AMS	2.34 EC 25 WG 100 SG		0.53 lb ai/a 0.00516 lb ai/a 1.02 % w/w	29 fl oz/a 0.33 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	90 a	85 bc	85 c
5	LIBERTY 280 DUAL II MAGNUM AMS	2.34 EC 7.64 EC 100 SG		0.53 lb ai/a 1.19 lb ai/a 1.02 % w/w	29 fl oz/a 20 fl oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	91 a	90 ab	85 bc
6	LIBERTY 280 DUAL II MAGNUM SCEPTER AMS	2.34 EC 7.64 EC 70 WG 100 SG		0.53 lb ai/a 1.19 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 20 fl oz/a 1.4 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W 2-3"W	A A A A	92 a	89 abc	87 bc
7	LIBERTY 280 PREFIX AMS	2.34 EC 5.29 EC 100 SG		0.53 lb ai/a 1.45 lb ai/a 1.02 % w/w	29 fl oz/a 2.2 pt/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W	A A A	96 a	96 a	96 a
8	LIBERTY 280 PREFIX SCEPTER AMS	2.34 EC 5.29 EC 70 WG 100 SG		0.53 lb ai/a 1.45 lb ai/a 0.061 lb ai/a 1.02 % w/w	29 fl oz/a 2.2 pt/a 1.4 oz/a 8.5 lb/100 gal		2-3"W 2-3"W 2-3"W 2-3"W	A A A A	98 a	96 a	92 ab
LSD P=.05									6.8	7.2	6.9
Standard Deviation									4.6	4.9	4.7
CV									4.97	5.48	5.4
Replicate F									0.592	0.434	0.706
Replicate Prob(F)									0.6283	0.7311	0.5606
Treatment F									2.164	4.953	5.660
Treatment Prob(F)									0.0956	0.0037	0.0019

Means followed by same letter or symbol do not significantly differ (P=.05, LSD)  
Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.



Scepter Postemergence Tank-Mixes for Residual Weed Control in Liberty Link Soybean.

Trial ID: 16-1-MME40 Location: Belleville Res. Center Trial Year: 2016  
Investigator: Karla L. Gage, Ph.D.

Trial Comments

1. Protocol: AMVAC (16C05H065).
2. Ratings:  
CI (overall) 7, 14, and 28 DA-A.  
WC 14, 28, and 42 DA-A.
3. Yield not requested.
4. Blanket possible after last rating.
5. Application A (2-3"W) must be applied by V3 even if weeds are small.  
Liberty application, spray in the day.
6. GPS of lower left and upper right corners of trial, can be recorded here.  
LL = 38.51648, -89.83983  
UR = 38.51714, -89.83969
7. Photos requested.
8. Rainfall following the 2-3"W application A was 2.61 inch over 9 days beginning 15 days later.
9. Dry soil in June reduced the soybean's ability to recover from the injury.
10. Not harvested.